Table 5.--*Abundance of organisms expressed as the number collected in each replicate core on each sampling date*

Table 5a.--April 16, 1976

GROUP	STATION 1				STATION 7						
	A	B	C	D	A	B	C	D	E	F	G
Enchytraeidae	--	--	--	--	2	1	--	--	--	1	--
Limnodrilus hoffmeisteri	3	--	3	--	--	1	1	2	1	--	--
Immature w/o hair setae	6	5	16	7	2	5	5	11	2	3	8
Amphichaeta sp.	1	--	--	--	--	--	3	--	1	1	--
Nais elinguis	--	--	1	--	1	--	--	--	--	--	1
Piguetiella michiganensis	--	--	1	--	--	--	--	--	--	--	--
Uncinais uncinata	1	--	--	--	--	--	--	--	--	--	--
Vejdovskyella intermedia	1	--	1	--	--	--	--	--	--	--	--
Pontoporeia affinis	--	2	21	--	52	--	--	--	23	--	--
Bythinia tentaculata	--	--	--	--	1	--	1	--	1	--	1
Valvata sincera	--	2	1	1	2	1	1	--	--	2	--
Pisidium spp.	--	--	--	--	2	--	--	--	--	--	--
Sphaerium spp.	--	1	--	1	--	2	--	3	1	1	1
Chironomus fluviatilis - gr.	--	1	--	--	--	--	--	--	--	--	1
Cryptochironomus fulvus - gr.	--	--	--	--	--	--	--	1	--	2	--

Table 5a.--April 16, 1976 (con.)

GROUP	STATION 1				STATION 7						
	A	B	C	D	A	B	C	D	E	F	G
Cladotanytarsus sp.	--	--	--	--	1	--	--	--	--	--	--
Paracladopelma udine	--	1	--	--	--	--	--	--	--	--	--
Paracladopelma sp.	--	--	--	--	--	--	--	--	1	--	--
Polypedilum fallax	--	--	--	1	--	--	--	--	--	--	--
P. scalaenum	--	--	--	--	--	1	--	--	--	--	1
Saetheria tylus	--	1	2	--	--	1	1	--	--	--	--
CI (Cyclopoid)	--	--	--	--	1	--	--	--	--	--	--
CII (Cyclopoid)	1	--	--	1	--	--	--	--	--	--	--
CIII (Cyclopoid)	2	1	--	1	1	1	--	1	--	--	--
CIV (Cyclopoid)	1	2	--	1	--	1	1	--	--	--	1
CV (Cyclopoid)	--	1	--	--	1	--	1	--	--	--	--
Cyclops bicuspidatus thomasi ♀	8	14	4	--	2	3	4	7	--	2	2
C. b. t. ♀ w/eggs	5	3	1	1	1	--	2	2	1	3	--
C. b. t. ♂	3	1	--	--	--	--	--	3	--	1	1
C. vernalis ♀	1	--	--	--	--	--	--	--	--	--	--

Table 5a.--April 16, 1976 (con.)

GROUP	STATION 1				STATION 7						
	A	B	C	D	A	B	C	D	E	F	G
CI (Harpacticoid)	--	1	--	--	--	--	--	--	--	1	--
CII (Harpacticoid)	--	--	--	--	--	--	--	--	--	1	1
CIII (Harpacticoid)	--	--	1	--	--	--	--	1	1	--	--
CV (Harpacticoid)	--	--	--	--	--	--	--	1	--	--	1
Bryocamptus nivalis ♀	--	--	--	--	--	--	1	--	--	1	--
B. cf. *vejdovskyi* ♀	--	1	2	--	1	4	2	2	--	1	1
B. cf. *v.* ♀ w/eggs	--	--	--	--	--	--	2	--	--	--	--
B. cf. *v.* ♂	--	--	--	--	--	--	1	2	--	--	--
Canthocamptus robertcokeri ♀	1	--	2	--	--	--	--	2	1	2	--
C. r. ♀ w/eggs	--	1	--	--	--	--	--	--	--	2	--
C. r. ♂	--	--	--	--	--	--	--	2	1	--	1
Alona spp.	--	--	--	1	--	--	--	1	--	--	1
Macrothrix laticornis	--	--	--	--	--	--	--	1	--	--	--
Ostracoda	1	1	--	--	--	--	--	--	--	1	1

Table 5a.--April 16, 1976 (con.)

GROUP	STATION 1				STATION 7						
	A	B	C	D	A	B	C	D	E	F	G
Nematoda	206	221	164	261	249	443	354	260	253	269	287
Tardigrada	1	--	1	1	6	10	9	2	16	7	1
Rotifera	--	1	--	5	1	2	3	2	--	6	1

Table 5b.--May 17-19, 1976

GROUP	STATION 1				4				5				6				
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	E
Stylodrilus heringianus	--	--	--	--	--	--	--	--	--	--	--	--	2	--	--	6	--
Limnodrilus augustipenis	--	2	--	--	--	--	--	--	--	1	--	2	--	--	--	--	--
L. cervix	--	--	--	--	2	--	--	--	--	--	--	--	--	--	--	--	--
L. claparedianus	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--
L. hoffmeisteri	3	4	--	--	4	2	5	6	1	7	3	2	--	--	--	--	1
L. profundicola	--	--	--	--	1	--	--	--	--	--	1	--	--	--	--	--	--
Potamothrix neydovskyi	--	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Immature w/o hair setae	10	23	11	2	20	13	13	8	7	9	15	7	--	6	1	--	3
Amphichaeta sp.	--	--	--	--	--	--	--	6	--	--	--	--	--	2	--	--	--
Nais bretscheri	--	--	--	--	--	--	--	3	--	--	--	--	--	--	--	--	--
N. elinguis	2	--	--	6	--	1	--	--	--	--	1	2	--	4	1	--	--
Nais sp.	--	1	--	--	--	1	--	2	--	--	1	--	--	--	--	--	--
Paranais frici	--	--	--	--	--	1	2	1	--	--	--	--	--	--	--	--	--
Piguetiella michiganensis	--	--	--	--	--	--	--	--	--	--	--	--	--	2	--	--	--
St laria lacustris	--	--	--	--	--	--	--	--	--	--	--	--	--	2	--	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 7 A	7 B	7 C	7 D	8 A	8 B	8 C	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Stylodrilus heringianus	--	--	--	--	--	11	10	7	5	6	9	4	10	4	1
Limnodrilus augustipenis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
L. cervix	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
L. claparedianus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
L. hoffmeisteri	--	--	--	1	9	--	3	--	--	--	2	--	2	--	1
L. profundicola	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Potamothrix veydovskyi	--	--	--	1	5	--	2	--	--	--	--	--	--	--	--
Immature w/o hair setae	3	2	1	26	7	--	32	--	2	2	2	1	--	--	--
Amphichaeta sp.	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Nais bretscheri	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
N. elinguis	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Nais sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Paranais frici	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Piguetiella michiganensis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Stylaria lacustris	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 13 A	B	C
Stylodrilus heringianus	--	3	3
Limnodrilus augustipenis	--	--	--
L. cervix	--	--	--
L. claparedianus	--	--	--
L. hoffmeisteri	--	--	--
L. profundicola	--	--	--
Potamothrix veydovskyi	--	--	--
Immature w/o hair setae	1	--	--
Amphichaeta sp.	--	--	--
Nais bretscheri	--	--	--
N. elinguis	--	--	--
Nais sp.	1	--	--
Paranais frici	--	--	--
Piguetiella michiganensis	--	--	--
Stylaria lacustris	--	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 1				4				5				6				
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	E
Uncinais uncinata	--	--	--	--	--	--	--	2	--	--	--	--	--	--	--	--	--
Vejdovskyella intermedia	6	3	2	4	2	4	--	41	--	--	8	3	--	12	1	--	--
Erpobdellidae	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Ponloporeia affinis	4	5	9	4	5	--	--	--	7	9	4	13	21	9	7	31	9
Bythinia tentaculata	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	2
Valvata sincera	--	1	--	--	--	--	--	--	--	--	--	1	--	2	1	1	--
Pisidium spp.	1	--	1	--	--	1	1	2	3	--	3	--	1	1	1	1	5
Sphaerium spp.	--	--	--	--	--	--	--	--	4	5	--	--	--	--	--	3	--
Chironomus anthracinus - gr.	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. fluviatilis - gr.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cladotanytarsus sp.	--	--	1	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Cryptochironomus fulvus - gr.	--	--	--	--	--	1	--	--	--	--	1	1	--	--	--	--	--
Harnischia sp.	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
Heterotrissocladius changi	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--
Monodiamesa tuberculata	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 7 A	7 B	7 C	7 D	8 A	8 B	8 C	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Uncinais uncinata	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Vejdovskyella intermedia	2	--	4	5	5	--	--	--	--	--	--	--	--	--	--
Erpobdellidae	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pontoporeia affinis	7	5	6	6	4	23	20	23	19	23	9	21	65	15	31
Bythinia tentaculata	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Valvata sincera	--	--	--	4	1	--	--	--	--	1	--	--	--	--	1
Pisidium spp.	--	1	--	2	2	2	6	4	5	6	2	3	1	--	7
Sphaerium spp.	1	--	--	1	1	2	--	--	--	--	--	3	5	2	2
Chironomus anthracinus - gr.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. fluviatilis - gr.	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Cladotanytarsus sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cryptochironomus fulvus - gr.	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Hamischia sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heterotrissocladius changi	--	--	--	--	--	--	--	--	--	--	--	1	2	1	6
Monodiamesa tuberculata	1	--	--	--	--	--	--	--	--	--	--	1	--	--	2

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 13 A	B	C
Uncinais uncinata	--	--	--
Vejovskyella intermedia	1	--	--
Erpobdellidae	--	--	--
Pontoporeia affinis	8	--	3
Bythinia tentaculata	--	--	--
Valvata sincera	--	--	--
Pisidium spp.	2	4	2
Sphaerium spp.	1	1	--
Chironorus antiracinus - gr.	--	--	--
C. fluviatilis - gr.	--	--	--
Cladotanytarsus sp.	--	--	--
Cryptochironomus fulvus - gr.	--	--	--
Harnischia sp.	--	--	--
Heterotrissocladius changi	--	--	1
Monodiamesa tuberculata	--	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 1				4				5				6				
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	E
Paracladopelma udine	1	--	--	--	2	--	--	--	--	--	--	--	1	--	--	--	--
P. winnelli	1	--	1	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Polypedilum fallax	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
P. scalaenum	--	1	--	--	--	--	3	2	--	--	--	--	--	--	--	--	--
Procladius sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Saetheria tylus	--	--	--	1	--	--	1	--	--	--	--	--	--	--	--	--	--
CI (Cyclopoid)	--	1	--	3	--	1	--	--	--	--	--	--	--	--	--	--	--
CII (Cyclopoid)	--	--	--	1	--	2	--	1	--	--	--	1	--	2	--	1	1
CIII (Cyclopoid)	1	--	1	--	2	2	3	1	2	--	1	4	--	2	1	--	1
CIV (Cyclopoid)	2	5	1	1	11	19	3	8	2	8	7	4	1	--	3	3	9
CV (Cyclopoid)	3	2	--	5	5	4	2	2	--	1	3	2	--	4	--	2	3
Cyclops bicuspidatus thomasi ♀	1	4	4	--	5	10	3	2	--	3	6	1	1	4	--	3	6
C. b. t. ♀ w/eggs	1	1	--	--	--	2	--	1	--	1	1	--	1	2	--	--	--
C. b. t. ♂	1	3	3	4	1	10	1	3	--	1	2	5	1	3	1	1	3

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 7 A	7 B	7 C	7 D	8 A	8 B	8 C	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Paracladopelma udine	--	1	--	2	--	--	--	--	--	--	--	1	--	--	--
P. winnelli	--	--	--	--	--	--	--	--	--	--	--	--	--	1	1
Polypedilum fallax	--	--	--	--	--	1	--	--	--	--	--	--	--	--	1
P. scalaenum	--	--	1	1	--	--	1	--	--	--	--	--	--	--	--
Procladius sp.	1	--	--	--	--	--	--	1	--	--	--	--	--	--	--
Saetheria tylus	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--
CI (Cyclopoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CII (Cyclopoid)	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
CIII (Cyclopoid)	4	1	--	7	--	--	5	--	1	2	--	--	--	--	--
CIV (Cyclopoid)	7	6	1	13	1	2	11	8	8	7	10	2	3	3	4
CV (Cyclopoid)	3	2	--	9	--	--	4	1	--	4	1	--	2	--	1
Cyclops bicuspidatus thomasi ♀	2	--	--	10	1	--	3	8	3	7	18	1	3	--	2
C. b. t. ♀ w/eggs	--	1	--	3	--	--	1	3	1	4	3	--	1	1	2
C. b. t. ♂	1	3	--	10	3	--	3	5	4	2	9	--	--	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 13 A	B	C
Paracladopelma udine	--	--	--
P. winnelli	--	--	--
Polypedilum fallax	--	--	--
P. scalaenum	--	--	--
Procladius sp.	1	--	--
Saetheria tylus	--	--	--
CI (Cyclopoid)	1	--	--
CII (Cyclopoid)	--	--	--
CIII (Cyclopoid)	1	--	--
CIV (Cyclopoid)	6	--	--
CV (Cyclopoid)	2	--	1
Cyclops bicuspidatus thomasi ♀	5	--	1
C. b. t. ♀ w/eggs	2	--	--
C. b. t. ♂	1	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 1				4				5				6				
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	E
C. vernalis ♀	2	2	4	4	10	--	--	1	--	--	2	--	1	--	--	--	3
C. v. ♀ w/eggs	--	--	--	3	1	--	--	--	--	--	1	1	--	--	--	1	1
C. v. ♂	1	--	3	1	2	--	--	--	--	--	--	1	1	--	--	--	--
Mesocyclops edax	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
Paracyclops fimbriatus poppei	--	--	--	--	--	--	--	--	--	--	1	--	--	1	--	--	--
Tropocyclops prasinus mexicanus	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
CI (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
CII (Harpacticoid)	--	--	--	--	--	--	--	1	--	1	1	--	--	--	--	--	--
CIII (Harpacticoid)	--	--	--	--	1	--	--	--	--	--	--	--	--	2	--	--	1
CIV (Harpacticoid)	--	3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CV (Harpacticoid)	--	2	--	1	2	--	--	2	--	--	--	--	1	--	--	--	--
Attheyella cf. *nordenskioldii*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--
B. n. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B. n. ♂	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 7				8			10				11			
	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D
C. vernalis ♀	2	--	1	3	--	--	1	1	1	--	1	--	--	--	--
C. v. ♀ w/eggs	--	--	--	1	-	--	8	--	--	1	2	--	--	--	--
C. v. ♂	--	2	--	--	--	--	--	--	--	--	--	--	--	--	--
Mesocyclops edax	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Paracyclops fimbriatus poppei	1	1	--	1	--	--	--	--	--	--	--	--	--	--	--
Tropocyclops prasinus mexicanus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CI (Harpacticoid)	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
CII (Harpacticoid)	--	--	--	1	--	--	1	--	1	--	--	--	--	--	--
CIII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CIV (Harpacticoid)	--	--	--	1	--	--	--	2	1	--	--	--	--	--	--
CV (Harpacticoid)	--	--	--	2	--	1	1	2	1	3	1	--	--	--	--
Attheyella cf. *nordenskioldii*	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	--	2	--	--	--	1	--
B. n. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
B. n. ♂	1	--	--	--	--	--	--	--	--	1	--	--	--	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 13 A	B	C
C. vernalis ♀	--	--	--
C. v. ♀ w/eggs	--	--	--
C. v. ♂	--	--	--
Mesocyclops edax	--	--	--
Paracyclops fimbriatus poppei	--	--	--
Tropocyclops prasinus mexicanus	--	--	--
CI (Harpacticoid)	--	--	--
CII (Harpacticoid)	--	--	--
CIII (Harpacticoid)	--	--	--
CIV (Harpacticoid)	--	--	--
CV (Harpacticoid)	--	--	1
Attheyella cf. *nordenskioldii*	--	--	--
Bryocamptus nivalis ♀	1	1	--
B. n. ♀ w/eggs	--	--	3
B. n. ♂	--	1	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 1				4				5				6				
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	E
B. cf. vejdovskyi ♀	--	--	--	--	--	1	1	1	1	--	--	--	--	2	1	2	--
B. cf. v. ♀ w/eggs	1	--	--	1	1	1	--	1	1	--	--	2	1	--	--	--	--
B. cf. v. ♂	--	--	--	--	1	1	--	--	--	--	--	--	4	--	--	--	--
Canthocamptus robertcokeri ♀	--	--	1	--	--	--	2	6	1	--	1	--	2	1	--	5	--
C. r. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2	--
C. r. ♂	--	--	1	--	1	--	--	4	--	--	--	--	--	--	--	1	--
C. staphylinoides ♀	--	--	--	1	3	1	--	3	--	1	--	--	--	--	--	1	1
C. s. ♀ w/eggs	--	--	--	--	1	--	--	--	--	--	1	1	--	1	--	2	--
C. s. ♂	--	1	--	--	1	--	--	1	--	--	--	--	1	--	--	1	--
Parastenocaris sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nauplii	1	1	--	1	--	--	--	--	--	--	1	--	--	--	2	5	--
Alona spp.	--	--	1	--	--	--	--	--	--	--	--	--	--	--	1	--	--
Ilyocryptus acutifrons	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
I. sordidus	--	1	--	--	1	2	2	5	--	1	1	--	--	--	--	--	--
Leydigia quadrangularis	--	1	1	--	--	1	--	--	--	--	--	--	--	--	--	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 7				8			10				11			
	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D
B. cf. vejdovskyi ♀	1	--	--	1	--	1	2	--	--	3	--	3	2	--	--
B. cf. v. ♀ w/eggs	6	3	1	1	--	4	4	--	2	3	--	--	--	1	--
B. cf. v. ♂	2	--	--	--	--	4	--	--	--	--	--	--	1	--	--
Canthocamptus robertcokeri ♀	1	1	--	3	--	--	3	9	8	7	4	--	3	1	--
C. r. ♀ w/eggs	--	--	1	--	--	2	4	3	1	4	3	1	2	--	1
C. r. ♂	1	--	--	--	--	--	3	--	1	2	4	2	1	1	--
C. staphylinoides ♀	--	--	1	1	--	--	2	2	--	6	7	--	--	--	1
C. s. ♀ w/eggs	--	3	--	--	--	3	5	1	--	5	2	--	--	--	--
C. s. ♂	--	1	--	--	--	1	5	4	3	2	4	--	1	1	--
Parastenocaris sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nauplii	--	--	--	--	--	--	4	--	--	1	--	--	--	--	--
Alona spp.	1	--	--	--	--	--	--	1	--	--	--	--	--	--	--
Ilyocryptus acutifrons	--	--	--	--	--	--	--	--	1	--	1	--	--	--	--
I. sordidus	--	--	--	--	--	--	--	1	--	1	--	--	--	--	--
Leydigia quadrangularis	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 13 A	B	C
B. cf. *vejdovskyi* ♀	3	--	--
B. cf. *v.* ♀ w/eggs	1	1	2
B. cf. *v.* ♂	--	1	2
Canthocamptus robertcokeri ♀	--	1	--
C. r. ♀ w/eggs	--	--	1
C. r. ♂	--	2	--
C. staphylinoides ♀	5	--	--
C. s. ♀ w/eggs	2	1	--
C. s. ♂	--	--	--
Parastenocaris sp.	11	--	7
Nauplii	--	--	--
Alona spp.	--	--	--
Ilyocryptus acutifrons	--	--	--
I. sordidus	--	--	--
Leydigia quadrangularis	--	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 1				4				5				6				
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	E
Ostracoda	2	--	--	--	7	2	2	5	--	1	3	--	1	1	--	--	1
Nematoda	114	203	129	119	209	104	95	80	324	309	344	215	206	133	180	256	134
Tardigrada	--	--	--	--	1	4	3	--	2	3	3	5	16	3	--	26	1
Turbellaria	1	--	1	--	--	1	1	--	--	--	--	--	--	--	1	2	--
Dicranophoridae	1	1	--	5	16	3	1	--	2	2	--	1	--	--	--	--	--
Diaeotrichia sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Other rotifer	7	4	1	2	5	1	5	--	2	1	1	5	--	2	4	2	1

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 7 A	7 B	7 C	7 D	8 A	8 B	8 C	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Ostracoda	--	--	--	1	--	--	--	--	1	--	2	1	--	2	2
Nematoda	197	114	114	167	137	182	819	203	378	444	480	275	275	142	105
Tardigrada	--	1	1	--	1	28	50	40	63	93	77	2	1	1	1
Turbellaria	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Dicranophoridae	5	--	--	--	--	--	2	2	3	1	1	3	--	1	--
Dissotrichia sp.	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Other rotifer	--	7	--	--	--	--	3	--	4	2	1	4	--	--	--

Table 5b.--May 17-19, 1976 (con.)

GROUP	STATION 13		
	A	B	C
Ostracoda	1	2	--
Nematoda	162	78	73
Tardigrada	54	39	9
Turbellaria	--	--	--
Dicranophoridae	1	--	--
Dissotrichia sp.	4	2	--
Other rotifer	--	1	6

Table 5c.--June 23-25, 1976

GROUP	STATION 1				4				5				6			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Enchytraeidae	--	--	--	--	--	--	1	--	1	--	--	--	--	--	1	--
Stylodrilis heringianus	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--
Aulodrilus pluriseta	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Limnodrilus augustipenis	--	--	--	1	--	--	--	--	--	--	2	--	--	1	--	1
L. hoffmeisteri	3	3	9	5	1	--	--	1	5	1	1	4	--	3	1	3
Peloscolex ferox	2	--	--	--	--	--	6	--	--	--	--	--	--	--	--	--
Potamothrix vejdovskyi	--	--	--	1	--	--	--	--	1	--	--	1	--	1	--	--
Immature w/o hair setae	7	16	11	7	32	5	29	17	14	18	13	13	4	5	4	11
Immature w/ hair setae	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
Amphichaeta sp.	--	--	1	--	1	--	--	1	1	--	1	--	3	--	--	--
Chaetogaster diaphanus	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--
Nais elinguis	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
N. pardalis	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Nais sp.	--	1	--	--	--	--	--	--	--	1	--	--	1	--	--	--
Vejdovskyella intermedia	35	30	16	24	89	10	45	45	81	110	110	92	35	28	7	23

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 7 A	7 B	7 C	8 A	8 B	8 C	8 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Enchytraeidae	--	--	--	--	--	--	--	--	--	--	--	4	4	--	6
Stylodrilis heringianus	--	--	--	1	6	16	8	3	4	2	3	2	1	3	7
Aulodrilus pluriseta	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Limnodrilus augustipenis	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--
L. hoffmeisteri	1	2	--	--	6	--	1	4	--	3	1	--	--	--	--
Peloscolex ferox	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Potamothrix vejdovskyi	--	--	--	4	--	1	--	--	--	--	--	--	--	--	--
Immature w/o hair setae	1	4	3	7	13	9	8	19	7	16	9	3	--	--	2
Immature w/ hair setae	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Amphichaeta sp.	--	1	--	--	--	1	--	--	--	--	1	--	--	--	--
Chaetogaster diaphanus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nais elinguis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
N. pardalis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nais sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Vejdovskyella intermedia	15	10	7	6	--	3	--	13	10	17	10	--	--	--	2

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 13 A	B	C	D
Enchytraeidae	2	11	1	5
Stylodrilis heringianus	30	13	11	12
Aulodrilus pluriseta	1	--	--	--
Limnodrilus augustipenis	--	--	--	--
L. hoffmeisteri	--	--	--	--
Peloscolex ferox	--	--	--	--
Potamothrix vejdovskyi	1	--	--	--
Immature w/o hair setae	6	1	3	--
Immature w/ hair setae	--	--	--	--
Amphichaeta sp.	--	--	--	--
Chaetogaster diaphanus	--	--	--	--
Nais elinguis	--	--	--	--
N. pardalis	--	--	--	--
Nais sp.	--	--	--	--
Vejdovskyella intermedia	3	1	--	6

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	4 D	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D
Helobdella stagnalis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Gammarus fasciatus	--	--	--	--	1	--	--	3	--	--	--	--	--	--	--	--
Pontoporeia affinis	3	6	3	4	--	--	1	--	1	4	3	18	15	--	4	2
Valvata sincera	1	--	--	1	--	--	--	2	--	--	2	--	--	1	--	2
Pisidium spp.	2	--	--	--	--	1	1	--	1	--	4	1	--	2	--	2
Sphaerium sp.	--	--	--	--	--	1	--	--	--	--	--	--	--	1	--	--
Chironomus anthracinus - gr.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
C. fluviatilis - gr.	2	1	--	--	2	--	--	--	--	--	--	--	--	1	--	--
Cryptochironomus fulvus - gr.	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--
Cladotanytarsus sp.	--	1	--	--	1	--	--	--	1	--	--	--	--	1	--	--
Harnischia sp.	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--
Heterotrissocladius changi	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Monodiamesa tuberculata	1	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Parachironomus demeijerei	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 7			8				10				11			
	A	B	C	A	B	C	D	A	B	C	D	A	B	C	D
Helobdella stagnalis	--	--	--	--	--	--	--	2	4	--	1	--	--	--	--
Gammarus fasciatus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pontoporeia affinis	--	2	7	17	23	23	25	33	18	18	21	31	23	23	16
Valvata sincera	--	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Pisidium spp.	--	--	3	--	5	6	6	4	2	1	1	--	1	1	1
Sphaerium sp.	--	--	--	--	--	--	--	--	2	1	--	1	--	1	--
Chironomus anthracinus - gr.	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--
C. fluviatilis - gr.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cryptochironomus fulvus - gr.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cladotanytarsus sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Harnischia sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heterotrissocladius changi	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
Monodiamesa tuberculata	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
Parachironomus demeijerei	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 13 A	B	C	D
Helobdella stagnalis	--	--	--	--
Gammarus fasciatus	--	--	--	--
Pontoporeia affinis	15	23	26	24
Valvata sincera	--	--	--	1
Pisidium spp.	--	5	--	--
Sphaerium sp.	--	2	--	--
Chironomus anthracinus - gr.	--	--	--	--
C. fluviatilis - gr.	--	--	--	--
Cryptochironomus fulvus - gr.	--	--	--	--
Cladotanytarsus sp.	--	--	--	--
Harnischia sp.	--	--	--	--
Heterotrissocladius changi	--	--	--	--
Monodiamesa tuberculata	--	--	--	--
Parachironomus demeijerei	--	--	--	--

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	4 D	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D
Paracladopelma udine	--	--	--	--	--	--	1	1	--	--	--	--	--	--	--	--
Polypedilum fallax	--	--	--	--	--	--	--	--	--	--	2	--	--	--	--	--
P. scalaenum	--	--	--	--	--	--	1	--	--	--	1	1	--	--	--	--
Psectrocladius simulens	1	1	--	--	1	1	2	1	--	2	--	--	1	1	--	--
Psectrocladius sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Saetheria tylus	--	--	--	--	--	2	--	--	--	--	--	--	--	--	--	--
Tanytarsus sp.	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Unknown chironomid	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
CI (Cyclopoid)	--	1	--	--	1	--	--	--	2	--	--	--	--	--	--	--
CII (Cyclopoid)	2	--	--	--	1	--	1	--	2	--	--	--	--	--	--	--
CIII (Cyclopoid)	2	1	3	--	3	--	--	--	--	--	3	--	--	--	--	--
CIV (Cyclopoid)	11	16	19	24	26	3	24	4	5	5	28	9	--	12	--	20
CV (Cyclopoid)	13	21	2	1	8	--	3	1	4	2	12	4	2	4	--	6
Cyclops bicuspidatus thomasi ♀	6	6	10	--	6	--	5	3	19	17	19	14	19	17	1	24

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 7 A	7 B	7 C	8 A	8 B	8 C	8 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Paracladopelma udine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Polypedilum fallax	--	--	--	--	--	--	--	--	--	--	--	--	--	2	--
P. scalaenum	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Psectrocladius simulans	--	3	--	--	--	--	--	--	1	--	1	--	--	--	--
Psectrocladius sp.	--	--	2	--	--	--	--	--	--	--	--	--	--	--	--
Saetheria tylus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Tanytarsus sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unknown chironomid	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CI (Cyclopoid)	--	--	--	--	--	--	--	1	1	--	1	--	--	--	--
CII (Cyclopoid)	--	--	--	--	2	--	--	--	--	--	--	--	--	1	--
CIII (Cyclopoid)	--	1	1	3	--	1	--	--	1	--	--	--	--	--	1
CIV (Cyclopoid)	10	14	6	4	5	2	3	5	5	5	4	--	1	--	2
CV (Cyclopoid)	10	15	13	1	1	2	8	1	--	3	--	--	--	--	--
Cyclops bicuspidatus thomasi ♀	20	27	15	37	41	41	28	5	7	8	5	--	--	--	3

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 13 A	B	C	D
Paracladopelma udine	--	--	--	--
Polypedilum fallax	1	--	1	--
P. scalaenum	--	--	--	--
Psectrocladius simulans	--	--	--	--
Psectrocladius sp.	--	--	--	--
Saetheria tylus	--	--	--	--
Tanytarsus sp.	--	--	--	--
Unknown chironomid	--	--	--	--
CI (Cyclopoid)	--	--	--	--
CII (Cyclopoid)	--	--	--	--
CIII (Cyclopoid)	--	--	--	--
CIV (Cyclopoid)	--	--	3	1
CV (Cyclopoid)	2	--	--	--
Cyclops bicuspidatus thomasi ♀	2	2	4	5

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	4 D	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D
C. b. t. ♀ w/eggs	1	1	2	--	1	--	4	--	8	3	5	8	9	10	1	11
C. b. t. ♂	7	12	10	--	9	1	8	1	4	4	4	5	6	10	--	6
C. vernalis ♀	5	4	4	4	9	1	6	2	3	12	6	3	3	10	--	4
C. v. ♀ w/eggs	1	2	2	1	5	--	2	1	2	--	--	--	1	1	--	1
C. v. ♂	5	11	1	3	3	--	1	3	2	1	--	3	6	--	--	1
Eucyclops agilis	--	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Mesocyclops edax	--	--	--	--	1	--	--	--	--	1	--	--	--	--	--	--
Paracyclops fimbriatus poppei	--	2	--	--	3	--	5	2	1	3	2	--	--	--	--	--
Tropocyclops prasinus mexicanus	--	--	--	1	3	--	--	--	--	--	--	--	--	--	--	--
CIV (Calanoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Eurytemora affinis	2	4	1	1	4	--	--	5	--	3	--	3	3	1	--	1
Epischura lacustris	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CI (Harpacticoid)	--	1	--	--	1	1	1	--	--	--	1	--	--	--	--	--
CII (Harpacticoid)	1	1	--	1	1	--	--	--	--	--	1	1	--	1	--	2

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 7			8				10				11			
	A	B	C	A	B	C	D	A	B	C	D	A	B	C	D
C. b. t. ♀ w/eggs	6	10	6	37	19	33	24	3	4	5	3	--	--	--	3
C. b. t. ♂	25	39	15	7	3	--	--	--	--	2	--	--	--	1	--
C. vernalis ♀	3	--	--	1	2	2	--	3	3	4	--	--	--	1	--
C. v. ♀ w/eggs	--	1	--	1	--	--	--	1	--	--	--	--	--	--	--
C. v. ♂	--	--	--	1	--	--	--	--	--	--	1	--	--	--	--
Eucyclops agilis	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--
Mesocyclops edax	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Paracyclops fimbriatus poppei	--	--	--	--	--	--	--	3	--	2	1	--	--	--	--
Tropocyclops prasinus mexicanus	--	--	--	--	--	--	--	1	--	--	2	--	--	--	--
CIV (Calanoid)	--	--	--	--	--	1	--	--	--	--	2	1	--	--	--
Eurytemora affinis	--	1	1	1	--	--	--	--	--	--	1	--	--	--	--
Epischura lacustris	--	--	--	--	--	--	2	--	--	--	--	--	--	--	--
CI (Harpacticoid)	--	--	1	20	3	4	3	13	4	4	5	--	15	11	8
CII (Harpacticoid)	--	--	1	21	1	3	2	12	7	6	3	--	2	2	--

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 13 A	B	C	D
C. b. t. ♀ w/eggs	2	2	5	8
C. b. t. ♂	1	--	--	--
C. vernalis ♀	2	--	--	--
C. v. ♀ w/eggs	--	--	--	--
C. v. ♂	--	--	--	--
Eucyclops agilis	--	--	--	--
Mesocyclops edax	--	--	--	--
Paracyclops fimbriatus poppei	--	--	--	1
Tropocyclops prasinus mexicanus	--	--	--	--
CIV (Calanoid)	--	--	--	--
Eurytemora affinis	--	--	--	--
Epischura lacustris	--	--	--	--
CI (Harpacticoid)	1	1	1	4
CII (Harpacticoid)	1	3	3	3

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	4 D	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D
CIII (Harpacticoid)	--	--	--	1	3	--	--	1	2	1	3	2	1	3	--	--
CIV (Harpacticoid)	--	2	--	--	4	--	2	1	--	2	4	2	--	--	--	--
CV (Harpacticoid)	--	1	6	1	2	--	--	--	2	3	7	--	--	4	--	--
Attheyella cf. *nordenskioldii*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bryocamptus nivalis ♀	--	--	--	--	2	--	1	--	--	--	--	--	--	--	--	--
B. n. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B. n. ♂	--	--	--	--	1	--	2	--	--	--	--	--	--	--	--	--
B. cf. *vejdovskyi* ♀	6	1	2	--	--	--	1	3	--	--	--	1	--	3	--	--
B. cf. *v.* ♀ w/eggs	6	1	--	--	1	4	1	5	--	--	--	1	2	--	--	--
B. cf. *v.* ♂	2	1	1	--	--	--	--	1	--	--	--	--	1	1	--	--
Canthocamptus robertcokeri ♀	4	2	1	4	1	--	--	1	--	3	5	1	--	1	--	3
C. r. ♀ cyst	--	--	1	2	1	--	--	--	--	--	3	--	--	1	--	--
C. r. ♀ w/eggs	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. r. ♂	2	1	3	2	2	--	1	1	--	2	7	1	--	--	--	--

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 7			8				10				11			
	A	B	C	A	B	C	D	A	B	C	D	A	B	C	D
CIII (Harpacticoid)	--	2	1	16	4	5	2	15	3	15	6	--	1	2	1
CIV (Harpacticoid)	--	--	--	18	5	9	5	22	7	16	4	--	--	--	--
CV (Harpacticoid)	1	--	--	8	5	6	3	8	9	13	5	--	--	1	--
Attheyella cf. *nordenskioldii*	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Bryocamptus nivalis ♀	--	--	1	--	--	--	--	--	--	--	--	--	4	--	--
B. n. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	2	1	1
B. n. ♂	--	--	--	--	--	--	1	--	--	--	--	2	2	2	1
B. cf. *vejdovskyi* ♀	2	2	1	3	--	--	--	--	--	--	1	--	--	2	1
B. cf. *v.* ♀ w/eggs	--	2	--	5	--	2	--	--	--	3	1	1	5	4	7
B. cf. *v.* ♂	1	1	--	1	--	--	--	--	--	--	1	--	2	2	1
Canthocamptus robertcokeri ♀	--	--	--	4	5	4	1	5	3	6	3	--	--	1	--
C. r. ♀ cyst	--	1	--	--	1	--	--	--	--	--	--	--	--	--	--
C. r. ♀ w/eggs	--	--	--	4	3	1	--	3	--	5	--	--	--	--	--
C. r. ♂	--	--	2	8	1	4	2	4	1	5	2	--	1	2	1

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 13 A	B	C	D
CIII (Harpacticoid)	--	--	--	3
CIV (Harpacticoid)	--	--	1	--
CV (Harpacticoid)	--	--	--	--
Attheyella cf. *nordenskioldii*	--	--	--	--
Bryocamptus nivalis ♀	--	--	--	--
B. n. ♀ w/eggs	--	1	3	--
B. n. ♂	--	1	3	--
B. cf. *vejdovskyi* ♀	--	--	1	2
B. cf. *v.* ♀ w/eggs	1	--	--	1
B. cf. *v.* ♂	1	--	1	2
Canthocamptus robertcokeri ♀	1	2	4	--
C. r. ♀ cyst	--	--	--	--
C. r. ♀ w/eggs	3	1	2	--
C. r. ♂	2	--	--	1

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	4 D	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D
C. r. ♀ cyst	--	--	--	1	--	--	--	--	--	--	2	--	--	--	--	--
C. staphylinoides ♀	4	--	3	--	6	--	1	4	--	2	4	--	1	--	--	--
C. s. ♀ cyst	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. s. ♀ w/eggs	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
C. s. ♂	--	--	1	1	--	--	1	5	--	--	7	--	--	2	--	--
Parastenocaris sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nauplii	1	6	2	--	15	--	4	5	7	4	7	3	1	1	--	--
Alona affinis	--	--	--	--	4	--	--	4	4	4	6	2	5	--	--	--
Alona spp.	--	--	1	1	--	--	1	--	--	1	1	--	--	--	--	--
Bosmina longirostris	2	4	9	--	1	--	--	2	--	--	--	1	--	--	--	--
Chydorus sphaericus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Daphnia retrocurva	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Eubosmina coregoni	1	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Eurycercus lamellatus	1	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 7			8				10				11			
	A	B	C	A	B	C	D	A	B	C	D	A	B	C	D
C. r. ♀ cyst	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. staphylinoides ♀	--	--	2	3	3	5	--	3	2	5	2	--	--	--	--
C. s. ♀ cyst	--	--	--	--	2	--	--	--	--	--	--	--	--	--	--
C. s. ♀ w/eggs	--	--	--	1	--	--	--	1	--	--	--	1	--	--	--
C. s. ♂	--	--	--	--	--	--	1	5	1	1	3	--	2	--	--
Parastenocaris sp.	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--
Nauplii	--	--	--	36	--	1	--	29	4	41	12	--	9	--	24
Alona affinis	--	2	--	--	--	1	--	--	--	--	--	--	--	--	--
Alona spp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bosmina longirostris	1	--	--	3	1	--	--	--	--	--	--	1	--	1	--
Chydorus sphaericus	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--
Daphnia retrocurva	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Eubosmina coregoni	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Eurycercus lamellatus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 13 A	B	C	D
C. r. ♀ cyst	--	--	--	--
C. staphylinoides ♀	--	--	1	1
C. s.♀ cyst	--	--	--	--
C. s. ♀ w/eggs	--	--	--	--
C. s. ♂	--	--	--	--
Parastenocaris sp.	--	--	--	--
Nauplii	--	--	--	--
Alona affinis	--	1	--	--
Alona spp.	--	--	--	--
Bosmina longirostris	--	--	--	--
Chydorus sphaericus	--	--	--	--
Daphnia retrocurva	--	--	--	--
Eubosmina coregoni	--	--	--	--
Eurycercus lamellatus	--	--	--	--

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 1				4				5				6			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Ilyocryptus sordidus	6	2	13	--	9	--	15	--	6	15	13	7	3	2	--	3
Latona setifera	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Leydigia quadrangularis	2	--	--	1	3	--	1	--	2	15	18	1	--	3	--	--
Macrothrix laticornis	--	--	--	--	--	--	--	--	--	4	3	1	--	--	--	--
Ostracoda	1	2	1	1	1	--	1	--	2	--	1	--	--	2	--	--
Nematoda	631	537	345	314	555	362	359	323	224	323	286	609	332	173	109	96
Tardigrada	6	12	10	6	32	2	14	18	49	15	28	68	21	11	1	6
Turbellaria	1	1	1	2	2	--	3	2	7	--	--	5	12	7	1	4
Dicranophoridae	6	4	9	3	27	6	16	18	19	2	12	13	14	17	2	13
Dissotrichia sp.	1	1	2	1	--	--	--	--	--	--	--	1	4	--	--	--
Other rotifer	19	15	3	2	33	30	5	23	11	--	13	12	10	13	--	4
Hydracarina	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 7 A	7 B	7 C	8 A	8 B	8 C	8 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Ilyocryptus sordidus	2	1	--	1	6	1	--	5	--	4	2	--	--	--	--
Latona setifera	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Leydigia quadrangularis	--	--	--	--	1	1	--	--	--	2	--	--	--	--	--
Macrothrix laticornis	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Ostracoda	--	--	--	4	--	4	--	--	1	1	4	7	2	2	--
Nematoda	311	283	399	580	1,129	705	1,930	1,295	351	886	902	617	502	496	730
Tardigrada	1	2	3	312	377	173	346	1,123	601	319	207	15	19	55	32
Turbellaria	13	2	14	4	--	4	--	3	8	6	4	1	1	--	5
Dicranophoridae	15	8	18	57	13	4	8	25	34	21	25	6	12	56	15
Diesotrichia sp.	1	2	3	9	2	1	5	5	2	1	6	7	13	5	1
Other rotifer	1	1	--	20	5	--	8	17	16	21	23	2	9	2	25
Hydracarina	--	--	--	--	--	--	2	--	--	--	--	--	--	--	--

Table 5c.--June 23-25, 1976 (con.)

GROUP	STATION 13 A	B	C	D
Ilyocryptus sordidus	--	--	--	--
Latona setifera	--	--	--	--
Leydigia quadrangularis	--	--	--	--
Macrothrix laticornis	--	--	--	--
Ostracoda	7	--	2	--
Nematoda	766	600	320	875
Tardigrada	2	9	7	1
Turbellaria	--	2	1	2
Dicranophoridae	--	14	2	6
Dissotrichia sp.	--	7	2	1
Other rotifer	--	3	3	--
Hydracarina	--	--	--	--

Table 5d.--August 2-4, 1976

GROUP	STATION 4 A	4 B	4 C	4 D	6 A	6 B	6 C	6 D	7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D
Enchytraeidae	--	--	--	--	--	--	--	1	--	--	1	--	--	--	--	1
Stylodrilus heringianus	--	--	--	--	--	--	--	--	--	--	--	1	10	13	10	9
Aulodrilus pluriseta	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--
Limnodrilus hoffmeisteri	--	--	--	--	1	1	--	--	--	--	--	--	--	--	--	--
Peloscolex ferox	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--
P. multisetosus multisetosus	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Potamothrix moldaviensis	--	--	--	--	1	1	--	--	--	--	--	--	1	2	--	2
P. vejdovskyi	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
Immature w/o hair setae	71	28	13	34	31	20	16	5	22	14	10	17	10	9	2	6
Immature w/ hair setae	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Amphichaeta sp.	--	--	--	--	--	1	1	--	--	--	--	1	--	--	--	--
Nais behningi	--	--	--	--	--	--	--	--	--	--	--	--	1	1	1	--
N. elinguis	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
N. pardalis	2	--	3	2	--	1	--	--	--	--	1	--	--	--	--	--
Nais sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5d.--August 2-4, 1976 (con.)

GROUP	STATION 10 A	B	C	D
Enchytraeidae	--	--	--	--
Stylodrilus heringianus	2	1	2	2
Aulodrilus pluriseta	--	--	--	--
Limnodrilus hoffmeisteri	--	--	--	--
Peloscolex ferox	--	--	--	--
P. multisetosus multisetosus	--	--	--	--
Potamothrix moldaviensis	--	--	--	--
P. vejdovskyi	--	--	--	1
Immature w/o hair setae	1	1	6	2
Immature w/ hair setae	--	--	--	1
Amphichaeta sp.	--	--	--	--
Nais behningi	--	--	--	--
N. elinguis	--	--	--	--
N. pardalis	--	--	--	--
Nais sp.	1	--	--	--

Table 5d.--August 2-4, 1976 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	6 A	6 B	6 C	6 D	7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D
Ophidonais serpentina	1	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--
Uncinais uncinata	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Veydovskyella intermedia	--	--	1	1	--	--	--	1	5	--	4	2	6	8	15	3
Gammarus fasciatus	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pontoporeia affinis	--	1	1	2	1	1	1	2	6	8	1	6	18	18	14	15
Bythinia tentaculata	--	--	--	--	--	--	2	--	--	--	--	--	--	--	--	--
Valvata sincera	--	--	--	--	1	--	1	1	--	1	--	3	1	2	--	--
Pisidium spp.	3	1	3	5	2	1	2	--	--	--	--	--	1	2	12	6
Sphaerium sp.	--	--	--	--	--	2	--	--	--	--	--	--	2	2	1	--
Ceratopogonidae	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Chironomus fluviatilis - gr.	2	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Micropsectra sp.	5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Monodiamesa tuberculata	1	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Paracladopelma udine	1	1	--	--	--	--	--	--	1	--	--	--	--	--	--	--
Polypedilum fallax	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5d.--August 2-4, 1976 (con.)

GROUP	STATION 10 A	B	C	D
Ophidonais serpentina	--	--	--	--
Uncinais uncinata	--	--	--	--
Veydovskyella intermedia	2	3	4	--
Gammarus fasciatus	--	--	--	--
Pontoporeia affinis	19	16	6	12
Bythinia tentaculata	--	--	--	--
Valvata sincera	--	--	--	1
Pisidium spp.	--	--	1	--
Sphaerium sp.	--	--	--	3
Ceratopogonidae	--	--	--	--
Chironomus fluviatilis - gr.	--	--	--	--
Micropsectra sp.	--	--	--	--
Monodiamesa tuberculata	--	1	--	--
Paracladopelma udine	--	--	--	--
Polypedilum fallax	--	--	--	--

Table 5d.--August 2-4, 1976 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	6 A	6 B	6 C	6 D	7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D
P. scalaenum	1	--	--	1	--	--	--	1	--	--	--	--	--	--	--	1
Psectrocladius simulans	1	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--
Psectrocladius sp.	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--
Saetheria tylus	--	1	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Unknown chironomid	--	1	1	--	--	--	--	1	--	--	--	--	--	--	1	--
CI (Cyclopoid)	--	1	--	--	--	--	--	--	--	--	--	--	--	1	--	--
CII (Cyclopoid)	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2
CIII (Cyclopoid)	5	2	1	--	--	--	--	--	--	--	--	--	1	1	--	--
CIV (Cyclopoid)	21	5	2	7	8	3	2	--	10	2	1	--	3	1	--	1
CV (Cyclopoid)	2	1	2	2	--	--	--	--	--	--	--	--	--	--	--	--
Cyclops bicuspidatus thomasi ♀	--	--	--	1	--	--	--	1	--	--	1	1	--	1	--	--
C. b. t. ♀ w/eggs	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
C. b. t. ♂	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2
C. vernalis ♀	8	3	6	--	1	3	1	--	--	--	1	4	4	2	2	--
C. v. ♀ w/eggs	1	--	--	1	--	--	--	1	--	--	--	--	--	--	1	--

Table 5d.--August 2-4, 1976 (con.)

GROUP	STATION 10 A	B	C	D
P. scalaeum	--	--	--	1
Psectrocladius simulans	--	--	--	--
Psectrocladius sp.	--	--	--	--
Saetheria tylus	--	--	--	--
Unknown chironomid	--	--	--	--
CI (Cyclopoid)	--	--	--	--
CII (Cyclopoid)	--	--	--	1
CIII (Cyclopoid)	--	--	--	--
CIV (Cyclopoid)	--	--	1	--
CV (Cyclopoid)	--	--	--	1
Cyclops bicuspidatus thomasi ♀	--	--	--	--
C. b. t. ♀ w/eggs	--	--	--	--
C. b. t. ♂	--	--	1	--
C. vernalis ♀	--	--	--	--
C. v. ♀ w/eggs	--	--	--	--

Table 5d.--August 2-4, 1976 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	6 A	6 B	6 C	6 D	7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D
C. v. ♂	10	5	1	1	--	2	--	--	--	--	1	2	1	4	2	2
Eucyclops agilis	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Mesocyclops edax	--	--	--	--	1	1	--	--	--	--	--	--	--	--	1	--
Paracyclops fimbriatus poppei	2	1	--	3	3	2	--	--	--	--	--	--	--	--	3	--
Tropocyclops prasinus mexicanus	1	--	--	--	--	--	--	--	--	--	--	--	--	2	--	--
CIII (Calanoid)	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
CIV (Calanoid)	--	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CI (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CIII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CIV (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CV (Harpacticoid)	--	--	--	1	--	--	--	--	--	--	--	--	1	--	--	--
Attheyella cf. *nordenskioldii*	--	--	--	--	--	--	--	--	--	--	--	--	1	--	1	--
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B. n. ♂	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1

Table 5d.--August 2-4, 1976 (con.)

GROUP	STATION 10 A	B	C	D
C. v. ♂	--	--	1	--
Eucyclops agilis	--	--	--	--
Mesocyclops edax	1	--	1	--
Paracyclops fimbriatus poppei	--	1	--	--
Tropocyclops prasinus mexicanus	--	--	--	--
CIII (Calanoid)	--	--	--	--
CIV (Calanoid)	--	--	--	--
CI (Harpacticoid)	--	2	--	1
CII (Harpacticoid)	--	--	--	1
CIII (Harpacticoid)	5	--	2	--
CIV (Harpacticoid)	11	4	1	1
CV (Harpacticoid)	15	4	3	--
Attheyella cf. *nordenskioldii*	--	1	--	--
Bryocamptus nivalis ♀	1	1	--	2
B. n. ♂	1	--	--	--

Table 5d.--August 2-4, 1976 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	6 A	6 B	6 C	6 D	7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D
B. cf. *vejdovskyi* ♀	1	--	1	--	--	--	--	--	--	--	--	2	--	1	--	--
B. cf. *v.* ♂	--	--	--	--	--	--	--	--	--	--	--	1	--	--	1	--
Canthocamptus robertcokeri ♀	1	1	--	--	1	1	1	--	1	1	--	1	9	7	9	2
C. r. ♀ cyst	--	--	--	--	1	1	--	--	--	--	--	--	--	--	--	2
C. r. ♂	1	--	--	1	1	1	--	--	--	--	1	--	8	5	3	--
C. r. ♂ cyst	1	--	--	--	--	1	--	--	1	--	--	--	--	1	2	--
C. staphylinoides ♀	1	1	--	1	--	--	1	--	--	--	--	--	1	--	--	--
C. s. ♀ cyst	--	1	--	1	--	--	--	1	--	--	--	--	--	1	--	--
C. s. ♂	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
C. s. ♂ cyst	--	--	--	--	--	1	--	--	--	--	--	--	--	1	2	--
Alona affinis	1	--	--	--	30	19	--	2	--	5	--	--	--	--	--	--
Alona spp.	--	--	--	--	2	1	--	--	3	--	6	--	--	--	--	--
Bosmina longirostris	--	2	--	--	--	--	--	1	--	--	--	--	1	1	--	--
Chydorus sphaericus	1	1	--	--	--	--	--	1	--	--	--	--	--	1	--	--
Eubosmina coregoni	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--

Table 5d.--August 2-4, 1976 (con.)

GROUP	STATION 10 A	B	C	D
B. cf. vejdovskyi ♀	4	2	--	4
B. cf. v. ♂	3	--	--	3
Canthocamptus robertcokeri ♀	2	4	6	2
C. r. ♀ cyst	--	2	--	1
C. r. ♂	1	3	5	3
C. r. ♂ cyst	--	--	1	--
C. staphylinoides ♀	--	--	--	1
C. s. ♀ cyst	--	--	--	--
C. s. ♂	--	--	--	--
C. s. ♂ cyst	--	--	--	2
Alona affinis	--	--	--	--
Alona spp.	--	--	--	--
Bosmina longirostris	2	--	--	--
Chydorus sphaericus	1	--	--	--
Eubosmina coregoni	--	--	--	--

Table 5d.--August 2-4, 1976 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	6 A	6 B	6 C	6 D	7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D
Eurycercus lamellatus	--	--	1	1	--	6	1	4	--	--	--	1	--	--	--	--
Ilyocryptus acutifrons	--	--	--	--	1	--	--	--	--	--	--	1	10	7	9	5
I. sordidus	1	--	--	4	2	--	--	--	--	--	--	--	7	6	4	1
Latona setifera	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Leydigia quadrangularis	--	--	--	--	9	--	--	--	--	--	--	--	--	--	1	--
Ostracoda	2	--	1	1	1	1	--	--	--	--	1	--	4	--	1	--
Nematoda	1,030	600	521	798	375	412	268	272	370	352	192	304	2,291	2,362	1,926	1,187
Tardigrada	14	3	8	8	6	15	8	5	14	9	1	2	824	232	681	986
Turbellaria	4	1	--	--	--	--	--	3	--	--	2	--	6	3	8	--
Dicranophoridae	4	8	--	16	1	1	--	6	2	3	1	--	17	26	53	13
Dissotrichia sp.	--	--	--	--	--	--	--	--	--	--	--	--	10	2	24	--
Other rotifer	2	--	--	3	--	--	--	7	1	--	--	--	--	--	--	--

Table 5d.--August 2-4, 1976 (con.)

GROUP	STATION 10 A	B	C	D
Furycercus lamellatus	--	--	--	1
Ilyocryptus acutifrons	1	--	2	--
I. sordidus	--	--	2	--
Latona setifera	--	--	--	--
Leydigia quadrangularis	--	--	--	--
Ostracoda	--	--	--	--
Nematoda	131	221	502	219
Tardigrada	38	129	655	112
Turbellaria	--	--	--	--
Dicranophoridae	19	2	7	17
Dissotrichia sp.	11	14	3	5
Other rotifer	--	--	1	--

Table 3e.--August 24-26, 1976

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D
Enchytraeidae	--	--	--	--	1	--	--	--	--	--	--	--	--	1	--
Stylodrilus heringianus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Limnodrilus hoffmeisteri	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--
Peloscolex freyi	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
P. m. longidentus	--	--	--	4	--	--	--	--	--	--	--	--	--	1	--
P. m. multisetosus	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--
Potamothrix moldavaensis	--	--	1	--	--	--	--	--	1	--	1	--	1	--	--
P. vejdovskyi	--	1	1	--	--	--	--	--	1	--	--	--	--	--	--
Immature w/o hair setae	21	35	36	35	10	13	11	38	35	21	21	15	31	14	20
Immature w/ hair setae	--	--	--	--	1	--	--	--	1	--	--	--	--	--	--
Amphichaeta sp.	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
Chaetogaster diaphanus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nais elinguis	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
N. pardalis	--	1	--	--	--	--	1	2	3	--	3	--	8	--	2
Nais sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 7				8				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Enchytraeidae	--	--	--	--	--	--	--	--	3	1	1	1	7	5	8	9
Stylodrilus heringianus	--	--	--	1	5	5	5	10	4	3	1	2	3	3	5	4
Limnodrilus hoffmeisteri	--	--	--	1	--	--	1	--	--	--	--	--	--	--	--	--
Peloscolex freyi	--	--	--	--	--	--	--	--	--	--	2	--	--	--	--	--
P. m. longidentus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
P. m. multisetosus	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Potamothrix moldvaensis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
P. vejdovskyi	--	--	--	--	2	--	1	--	--	--	--	--	--	--	--	--
Immature w/o hair setae	14	6	6	14	21	9	12	6	8	7	2	9	1	6	3	--
Immature w/ hair setae	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	1
Amphichaeta sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chaetogaster diaphanus	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Nais elinguis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
N. pardalis	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nais sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 13			
	A	B	C	D
Enchytraeidae	2	4	9	1
Stylodrilus heringianus	4	5	12	5
Limnodrilus hoffmeisteri	--	--	--	--
Peloscolex freyi	--	--	--	--
P. m. longidentus	--	--	--	--
P. m. multisetosus	--	--	--	--
Potamothrix moldavaensis	--	--	--	--
P. vejdovskyi	--	--	--	--
Immature w/o hair setae	4	7	--	1
Immature w/ hair setae	--	--	--	--
Amphichaeta sp.	--	--	--	--
Chaetogaster diaphanus	--	--	--	--
Nais elinguis	--	--	--	--
N. pardalis	--	--	--	--
Nais sp.	--	--	1	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 1				4			5				6			
	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D
Slavina appendiculata	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Vejdovskyella intermedia	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Helobdella stagnalis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Gammarus fasciatus	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--
Pontoporeia affinis	2	3	3	5	2	1	2	2	3	2	3	3	2	1	2
Bythinia tentaculata	--	--	--	--	--	--	--	--	--	--	--	1	--	1	--
Valvata sincera	--	1	3	2	1	--	--	--	2	--	--	--	1	1	1
V. tricarinata	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pisidium spp.	--	5	10	1	--	6	2	--	9	2	3	4	3	1	5
Sphaerium sp.	--	--	1	--	--	--	--	--	--	--	--	1	--	--	--
Chironomus fluviatilis - gr.	--	--	1	1	--	--	--	--	--	--	--	--	--	--	--
Cryptochironomus digitatus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. fulvus - gr.	--	--	--	--	--	--	--	--	--	--	--	--	1	--	1
Tanytarsus sp.	--	--	--	--	--	1	--	--	--	--	--	--	--	--	1
Heterotrissocladius changi	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 7				8				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Slavina appendiculata	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Vejdovskyella intermedia	--	--	--	--	4	5	2	6	7	--	5	--	2	5	2	--
Helobdella stagnalis	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
Gammarus fasciatus	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Pontoporeia affinis	3	1	3	2	18	16	14	15	17	9	20	8	26	25	12	14
Bythinia tentaculata	--	1	--	1	--	--	2	--	--	--	--	--	--	--	--	--
Valvata sincera	1	1	1	1	--	2	2	2	--	--	1	--	--	--	--	--
V. tricarinata	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pisidium spp.	3	2	6	4	7	8	5	10	--	1	4	1	1	5	3	6
Sphaerium sp.	--	--	--	--	--	--	--	--	6	--	1	--	--	--	--	--
Chironomus fluviatilis - gr.	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Cryptochironomus digitatus	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
C. fulvus - gr.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cladotanytarsus sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
Heterotrissocladius changi	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8	1

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 13			
	A	B	C	D
Slavina appendiculata	--	--	--	--
Vejdovskyella intermedia	2	1	4	1
Helobdella stagnalis	--	--	--	--
Gammarus fasciatus	--	--	--	--
Pontoporeia affinis	17	17	8	27
Bythinia tentaculata	--	--	--	--
Valvata sincera	1	--	--	--
V. tricarinata	--	--	--	--
Pisidium spp.	1	3	--	5
Sphaerium sp.	1	2	3	1
Chironomus fluviatilis - gr.	--	--	--	--
Cryptochironomus digitatus	--	--	--	--
C. fulvus - gr.	--	--	--	--
Cladotanytarsus sp.	--	--	--	1
Heterotrissocladius changi	--	--	--	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 1				4			5				6			
	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D
H. oliveri	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Monodiamesa tuberculata	--	1	1	--	--	--	--	--	--	1	--	--	--	--	--
Paracladopelma winnelli	--	--	1	--	--	--	--	--	--	--	--	--	1	--	--
Paracladopelma sp.	--	--	2	--	--	--	--	--	--	--	--	--	--	1	--
Polypedilum scalaenum	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
Psectrocladius simulans	--	--	--	--	1	--	1	--	--	--	--	3	1	--	--
Unknown chironomid	--	--	1	1	--	--	--	--	--	1	--	1	--	1	1
CI (Cyclopoid)	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
CII (Cyclopoid)	--	1	--	2	--	--	--	--	--	--	--	--	--	--	--
CIII (Cyclopoid)	--	8	1	3	--	--	--	--	--	--	--	--	--	--	--
CIV (Cyclopoid)	--	15	10	6	--	--	--	--	3	--	4	1	--	--	7
CV (Cyclopoid)	2	1	6	6	2	--	--	--	--	1	1	1	2	--	--
Cyclops bicuspidatus thomasi ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. b. t. ♂	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
H. oliveri	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Monodiamesa tuberculata	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Paracladopelma winnelli	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Paracladopelma sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Polypedilum scalaenum	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Psectrocladius simulans	--	--	--	--	--	--	--	--	--	1	--	--	--	1	--	--
Unknown chironomid	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
CI (Cyclopoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CII (Cyclopoid)	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
CIII (Cyclopoid)	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
CIV (Cyclopoid)	--	1	--	--	--	1	8	--	--	--	--	1	--	--	2	--
CV (Cyclopoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cyclops bicuspidatus thomasi ♀	--	1	1	--	--	--	--	--	--	--	--	--	1	--	--	--
C. b. t. ♂	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--	1

Table 5c.--August 24-26, 1976 (con.)

GROUP	STATION 13 A	B	C	D
H. oliveri	--	--	1	--
Monodiamesa tuberculata	--	--	--	--
Paracladopelma winnelli	--	--	--	--
Paracladopelma sp.	--	--	--	--
Polypedilum scalaenum	--	--	--	--
Psectrocladius simulans	1	--	--	--
Unknown chironomid	--	1	--	--
CI (Cyclopoid)	--	--	--	--
CII (Cyclopoid)	--	--	--	--
CIII (Cyclopoid)	--	--	--	--
CIV (Cyclopoid)	--	--	--	--
CV (Cyclopoid)	--	--	--	--
Cyclops bicuspidatus thomasi ♀	--	--	--	--
C. b. t. ♂	--	--	--	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D
C. vernalis ♀	3	3	2	1	--	2	8	--	--	4	3	--	2	1	2
C. v. ♀ w/eggs	--	--	1	--	1	--	2	--	--	--	--	--	1	--	1
C. v. ♂	--	2	1	8	--	--	--	--	--	--	--	--	2	--	--
Eucyclops agilis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Mesocyclops edax	--	2	--	2	--	--	--	--	1	--	--	--	--	--	--
Paracyclops fimbriatus poppei	2	--	--	3	--	--	--	--	--	1	--	--	--	--	--
Tropocyclops prasinus mexicanus	--	--	--	--	--	--	--	1	--	--	1	--	--	--	--
Eurytemora affinis	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
CI (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CIII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CIV (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CV (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Attheyella cf. *nordenskioldii*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B. n. ♂	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
C. vernalis ♀	1	1	2	2	--	1	--	--	--	--	1	--	--	1	--	1
C. v. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	1	--	1	--	--
C. v. ♂	1	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Eucyclops agilis	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Mesocyclops edax	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Paracyclops fimbriatus poppei	1	--	--	1	--	--	--	--	2	--	--	--	--	--	--	--
Tropocyclops prasinus mexicanus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Eurytemora affinis	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
CI (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
CIII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2	--
CIV (Harpacticoid)	--	--	--	--	--	--	--	--	1	--	--	--	--	2	1	--
CV (Harpacticoid)	--	--	--	--	--	--	--	--	2	1	--	--	--	1	--	--
Attheyella cf. *nordenskioldii*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
B. n. ♂	--	--	--	--	--	1	--	1	--	--	--	--	--	--	16	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 13 A	B	C	D
C. vernalis ♀	--	--	--	--
C. v. ♀ w/eggs	--	--	--	--
C. v. ♂	--	--	--	--
Eucyclops agilis	--	--	--	--
Mesocyclops edax	--	--	--	--
Paracyclops fimbriatus poppei	--	--	1	--
Tropocyclops prasinus mexicanus	--	--	--	--
Eurytemora affinis	--	--	--	--
CI (Harpacticoid)	--	--	--	1
CIII (Harpacticoid)	--	--	--	--
CIV (Harpacticoid)	--	--	--	--
CV (Harpacticoid)	--	1	2	--
Attheyella cf. *nordenskioldii*	--	--	--	--
Bryocamptus nivalis ♀	--	--	--	--
B. n. ♂	--	--	--	18

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D
B. cf. vejdovskyi ♀	2	3	--	1	--	--	--	--	2	1	--	1	--	--	--
B. cf. v. ♂	--	1	3	--	--	--	--	--	--	--	--	1	--	--	--
Canthocamptus robertcokeri ♀	1	2	2	3	--	2	--	1	1	1	1	--	--	--	1
C. r. ♀ cyst	1	4	8	1	--	--	1	--	2	1	--	--	--	--	3
C. r. ♀ w/eggs	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
C. r. ♂	2	1	--	--	--	--	--	--	1	--	1	--	--	1	1
C. r. ♂ cyst	--	--	1	1	--	--	--	--	1	--	1	1	--	--	--
C. staphylinoides ♀	--	--	--	--	--	--	--	--	2	--	--	--	--	--	--
C. s. ♀ cyst	1	--	--	--	--	--	--	1	1	--	--	2	--	--	2
C. s. ♂ cyst	1	--	--	1	--	--	--	--	--	--	--	--	--	--	1
Moraria cristata	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Parastenocaris sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Alona affinis	3	11	4	4	4	7	8	7	32	17	20	11	9	6	10
Alona spp.	--	1	--	1	--	--	2	--	3	--	2	1	--	--	1
Bosimina longirostris	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 7				8				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
B. cf. *vejdovskyi* ♀	--	--	--	1	--	--	--	--	6	1	--	--	--	4	2	--
B. cf. *v.* ♂	--	--	--	2	--	--	--	--	7	2	--	--	--	3	1	--
Canthocamptus robertcokeri ♀	--	1	1	2	3	10	4	4	5	2	3	--	--	--	--	--
C. r. ♀ cyst	--	2	--	--	7	7	26	30	5	7	3	3	--	--	--	--
C. r. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. r. ♂	--	--	--	--	3	1	2	2	1	4	3	--	--	--	--	--
C. r. ♂ cyst	--	--	--	--	5	2	7	10	--	2	--	--	--	--	--	--
C. staphylinoides ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. s. ♀ cyst	--	--	--	1	--	--	2	1	--	1	--	2	--	--	--	--
C. s. ♂ cyst	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--
Moraria cristata	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Parastenocaris sp.	--	--	--	--	--	--	--	--	--	--	--	--	1	1	--	2
Alona affinis	5	--	1	1	1	--	--	1	1	1	1	--	--	--	--	--
Alona spp.	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bosimina longirostris	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 13 A	B	C	D
B. cf. *vejdovskyi* ♀	--	--	1	3
B. cf. *v.* ♂	--	--	--	--
Canthocamptus robertcokeri ♀	--	1	--	2
C. r. ♀ cyst	--	--	--	--
C. r. ♀ w/eggs	--	--	--	--
C. r. ♂	--	2	1	--
C. r. ♂ cyst	--	--	--	--
C. staphylinoides ♀	--	--	--	--
C. s. ♀ cyst	--	1	--	--
C. s. ♂ cyst	--	--	1	--
Moraria cristata	--	1	--	--
Parastenocaris sp.	--	--	--	--
Alona affinis	--	--	--	--
Alona spp.	--	--	--	--
Bosimina longirostris	--	--	--	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 1				4			5				6			
	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D
Chydorus sphaericus	--	1	1	13	--	--	--	--	--	--	--	--	--	--	--
Eubosmina coregoni	--	1	--	1	--	--	--	--	--	--	--	--	--	--	--
Eurycercus lamellatus	10	2	4	6	--	4	2	1	7	5	6	9	7	4	22
Ilyocryptus acutifrons	--	1	--	--	--	--	--	--	--	--	1	1	--	--	--
I. sordidus	--	2	--	--	--	--	--	2	--	1	1	--	--	--	--
Leydigia quadrangularis	--	3	--	--	--	--	--	--	1	--	--	--	--	--	--
Macrothrix laticornis	--	--	--	2	--	--	--	--	--	--	--	--	--	--	--
Ostracoda	3	8	2	3	--	1	--	1	1	1	3	--	--	--	1
Nematoda	809	884	1,057	590	451	298	359	734	531	730	568	256	370	412	598
Tardigrada	14	30	9	11	3	7	8	4	5	3	8	9	4	6	10
Turbellaria	--	7	--	3	--	--	--	--	--	--	1	4	--	--	--
Dicranophoridae	3	17	14	2	4	--	--	4	4	3	1	2	--	2	--
Dissotrichia sp.	--	7	7	--	--	--	--	--	--	--	--	--	--	--	--
Other rotifer	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 7				8				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Chydorus sphaericus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Eubosmina coregoni	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
Eurycercus lamellatus	6	6	1	5	--	1	1	5	--	--	--	--	--	--	--	--
Ilyocryptus acutifrons	--	--	--	--	9	3	11	--	1	2	--	--	--	--	1	--
I. sordidus	2	--	--	--	2	18	2	11	4	--	--	1	--	--	--	--
Leydigia quadrangularis	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Macrothrix laticornis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Ostracoda	--	--	--	--	2	--	--	1	--	--	2	--	2	3	2	--
Nematoda	325	608	516	584	735	727	815	1,033	675	509	406	488	171	350	312	111
Tardigrada	6	8	6	14	360	359	833	219	300	123	142	302	77	102	133	21
Turbellaria	--	1	1	--	5	--	--	3	2	1	1	4	1	1	6	--
Dicronophoridae	--	6	3	1	--	--	2	1	115	--	1	2	1	35	51	--
Dissotrichia sp.	--	--	--	1	2	--	3	--	89	--	--	--	1	30	15	--
Other rotifer	--	--	--	--	--	--	--	--	--	--	--	--	--	10	8	--

Table 5e.--August 24-26, 1976 (con.)

GROUP	STATION 13 A	B	C	D
Chydorus sphaericus	--	--	--	--
Eubosmina coregoni	--	--	--	--
Eurycercus lamellatus	--	--	--	--
Ilyocryptus acutifrons	--	--	--	--
I. sordidus	--	--	--	--
Leydigia quadrangularis	--	--	--	--
Macrothrix laticornis	--	--	--	--
Ostracoda	--	--	2	4
Nematoda	333	224	194	299
Tardigrada	75	22	39	154
Turbellaria	--	1	2	--
Dicronophoridae	3	--	--	--
Dissotrichia sp.	2	2	1	16
Other rotifer	--	--	--	--

Table 5f.--September 22-24, 1976

GROUP	STATION 4				5				6				7			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Enchytraeidae	--	--	1	--	--	--	--	--	3	1	--	--	3	1	--	1
Stylodrilius heringianus	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
Limnodrilus hoffmeisteri	--	--	1	1	--	1	--	--	--	--	--	--	2	--	--	--
Potamothrix vejdovskyi	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Immature w/o hair setae	23	36	69	39	18	26	44	15	9	7	6	4	11	4	9	12
Immature w/ hair setae	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Amphichaeta sp.	1	--	--	--	--	--	--	--	--	--	--	2	--	--	1	--
Nais pardalis	--	--	--	--	--	1	--	--	1	--	--	--	2	1	--	--
Piguetiella michiganensis	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--
Vejdovskyella intermedia	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Erpobdellidae	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Helobdella stagnalis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Gammarus fasciatus	--	--	2	--	--	--	--	--	--	--	--	--	--	--	--	--
Pontoporeia affinis	--	--	1	--	2	2	1	--	3	2	4	2	1	3	2	2
Bythinia tentaculata	--	--	1	--	--	--	--	--	2	--	1	--	1	1	1	1

Table 5f.--September 22-24, 1976 (con.)

GROUP	STATION 8 A	8 B	8 C	8 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D	13 A	13 B	13 C	13 D
Enchytraeidae	--	2	2	--	3	1	1	2	5	12	9	7	--	2	8	6
Stylodrilius heringianus	5	9	10	13	4	7	2	8	4	6	8	6	2	5	3	2
Limnodrilus hoffmeisteri	--	--	--	2	--	--	--	--	--	--	--	--	--	--	--	--
Potamothrix vejdovskyi	1	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Immature w/o hair setae	6	10	5	91	4	9	9	17	1	3	--	1	2	2	1	3
Immature w/ hair setae	--	--	--	1	--	--	--	--	1	1	--	1	--	--	--	--
Amphichaeta sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	1
Nais pardalis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Piguetiella michiganensis	--	--	--	--	--	--	--	--	--	--	--	--	--	2	--	--
Vejdovskyella intermedia	5	2	2	2	6	6	2	1	4	1	--	4	2	2	2	1
Erpobdellidae	--	--	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Helobdella stagnalis	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Gammarus fasciatus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pontoporeia affinis	5	10	6	7	23	12	14	12	11	12	8	12	7	4	11	5
Bythinia tentaculata	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5f.--September 22-24, 1976 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D	7 A	7 B	7 C	7 D
Valvata sincera	--	--	--	--	--	--	--	--	--	--	2	--	2	2	--	1
Pisidium sp.	--	3	13	4	2	2	2	2	5	2	5	1	2	2	4	4
Sphaerium sp.	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--
Chironomus fluviatilis - gr.	2	1	--	1	1	--	--	--	--	--	--	1	1	1	--	--
Chironomus sp.	--	--	1	--	--	--	1	--	--	--	--	--	1	--	--	--
Cryptochironomus digitatus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
C. fulvus - gr.	--	--	1	--	--	--	--	--	--	--	--	1	--	--	--	--
Cladotanytarsus sp.	--	3	1	1	--	1	2	1	5	--	3	--	2	1	3	--
Heterotrissocladius changi	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
Paracladopelma udine	--	--	--	--	1	--	--	--	2	--	2	2	--	1	1	1
P. winnelli	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Paracladopelma sp.	--	--	--	--	--	--	--	--	1	--	--	--	--	--	1	--
Polypedilum fallax	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
P. scalaeum	1	3	1	--	1	1	1	1	--	3	--	--	--	1	2	1
Psectrocladius sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--

Table 5f.--September 22-24, 1976 (con.)

GROUP	STATION 8 A	8 B	8 C	8 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D	13 A	13 B	13 C	13 D
Valvata sincera	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Pisidium sp.	16	8	7	11	1	6	4	5	12	2	9	2	3	1	4	1
Sphaerium sp.	3	--	1	--	3	--	1	--	--	--	--	2	--	--	--	--
Chironomus fluviatilis - gr.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chironomus sp.	--	--	--	--	--	2	--	1	--	--	--	--	--	--	6	1
Cryptochironomus digitatus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. fulvus - gr.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cladotanytarsus sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heterotrissocladius changi	--	2	--	1	1	1	--	--	--	2	2	3	2	--	--	2
Paracladopelma udine	--	--	--	1	--	--	--	--	--	--	1	--	1	--	--	--
P. winnelli	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
Paracladopelma sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Polypedilum fallax	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
P. scalaenum	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--

Table 5f.--September 22-24, 1976 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D	7 A	7 B	7 C	7 D
Saetheria tylus	1	3	--	1	2	--	--	1	2	--	3	--	1	--	3	2
Tanytarsus sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
CI (Cyclopoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CII (Cyclopoid)	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
CIII (Cyclopoid)	--	--	-	--	--	--	--	--	--	--	--	--	1	--	--	--
CIV (Cyclopoid)	2	3	3	--	3	2	2	--	3	--	--	1	--	1	1	--
CV (Cyclopoid)	--	--	--	--	--	--	--	--	2	1	--	--	--	--	--	--
Cyclops bicuspidatus thomasi ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. b. t. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. b. t. ♂	--	--	1	--	--	--	--	--	?	--	--	--	--	--	--	--
C. vernalis ♀	--	--	--	--	--	--	1	--	3	--	1	--	--	--	--	--
C. v. ♀ w/eggs	--	--	--	--	--	--	--	--	1	--	--	--	--	--	1	--
C. v. ♂	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--

Table 5f.--September 22-24, 1976 (con.)

GROUP	STATION 8 A	8 B	8 C	8 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D	13 A	13 B	13 C	13 D
Saetheria tylus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	1
Tanytarsus sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
Unknown	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CI (Cyclopoid)	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--
CII (Cyclopoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CIII (Cyclopoid)	--	--	--	--	--	1	--	2	--	--	--	--	--	--	--	--
CIV (Cyclopoid)	5	2	1	2	--	8	3	2	--	2	--	2	4	1	--	--
CV (Cyclopoid)	--	--	--	--	1	--	1	--	--	--	1	--	--	--	--	1
Cyclops bicuspidatus thomasi ♀	--	--	--	--	--	3	--	2	1	--	1	--	1	--	--	--
C. b. t. ♀ w/eggs	--	--	--	--	--	2	2	--	--	--	1	--	--	--	--	--
C. b. t. ♂	--	--	--	--	--	1	1	--	--	--	--	--	1	--	--	--
C. vernalis ♀	--	--	--	1	5	2	1	--	--	--	--	--	--	--	--	--
C. v. ♀ w/eggs	--	--	--	--	1	1	--	1	--	--	--	--	--	--	--	--
C. v. ♂	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5f.--September 22-24, 1976 (con.)

GROUP	STATION 4				5				6				7			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Eucyclops agilis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Paracyclops fimbriatus poppei	--	--	2	--	--	--	--	1	1	1	--	2	--	--	--	--
Tropocyclops prasinus mexicanus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CI (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CIII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CIV (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CV (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B. n. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B. n. ♂	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B. cf. *vejdovskyi* ♀	--	2	--	--	--	--	--	--	1	1	1	--	--	--	1	--
B. cf. *v.* ♂	1	--	1	--	--	--	--	--	1	--	1	--	--	--	--	--
Canthocamptus robertcokeri ♀	--	--	2	--	1	1	1	--	--	1	1	--	1	--	--	--

Table 5f.--September 22-24, 1976 (con.)

GROUP	STATION 8 A	8 B	8 C	8 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D	13 A	13 B	13 C	13 D
Eucyclops agilis	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
Paracyclops fimbriatus poppei	--	--	--	1	--	1	--	1	--	--	--	--	--	--	1	--
Tropocyclops prasinus mexicanus	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--
CI (Harpacticoid)	--	--	--	--	1	--	--	--	--	--	--	--	--	1	--	--
CII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
CIII (Harpacticoid)	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--	1
CIV (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	2	1	--	--	--
CV (Harpacticoid)	--	--	--	--	--	--	--	--	1	1	4	--	--	--	1	2
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	1	1	6	2	3	4	--	6
B. n. ♀ w/eggs	--	--	--	--	--	--	--	--	1	--	1	1	2	--	2	1
B. n. ♂	--	1	--	--	--	--	--	--	5	5	6	7	3	3	8	4
B. cf. *vejdovskyi* ♀	--	1	--	--	4	7	2	1	2	1	--	--	--	4	4	--
B. cf. *v.* ♂	--	--	--	--	6	8	5	4	3	--	--	--	1	2	1	--
Canthocamptus robertcokeri ♀	2	--	4	4	2	10	6	12	2	--	--	--	--	1	--	2

Table 5f.--September 22-24, 1976 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D	7 A	7 B	7 C	7 D
C. r. ♀ cyst	1	3	1	--	--	5	--	--	--	--	--	--	--	1	--	--
C. r. ♂	--	1	1	--	--	1	--	--	--	--	--	--	--	1	--	--
C. r. ♂ cyst	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--
C. staphylinoides ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. s. ♀ cyst	--	4	2	--	3	1	3	--	--	--	--	--	--	--	--	1
C. s. ♂	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. s. ♂ cyst	--	--	1	--	--	--	2	--	--	--	--	--	--	1	--	--
Moraria cristata	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Parastenocaris spp. (adults & cop.)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Alona affinis	--	--	--	--	--	--	1	--	3	--	--	--	--	6	3	2
Alona spp.	--	--	--	--	--	--	1	--	--	--	--	--	1	--	--	--
Eurycercus lamellatus	--	--	--	--	--	--	--	--	3	--	--	--	1	--	--	--
Ilyocryptus acutifrons	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
I. sordidus	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5f.--September 22-24, 1976 (con.)

GROUP	STATION 8 A	8 B	8 C	8 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D	13 A	13 B	13 C	13 D
C. r. ♀ cyst	11	6	10	34	3	7	5	6	--	--	--	--	--	--	--	--
C. r. ♂	1	--	2	3	2	5	--	10	1	--	--	--	--	2	1	1
C. r. ♂ cyst	5	--	3	8	2	5	1	3	--	--	--	--	--	--	1	--
C. staphylinoides ♀	1	--	--	--	--	1	--	1	--	--	--	1	--	--	--	--
C. s. ♀ cyst	1	1	1	--	3	2	2	2	--	--	--	--	--	1	--	--
C. s. ♂	--	--	--	--	--	--	--	1	--	--	--	1	--	--	1	--
C. s. ♂ cyst	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Moraria cristata	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--	1
Parastenocaris spp. (adults & cop.)	--	--	--	--	--	--	--	--	2	--	2	6	--	24	--	6
Alona affinis	--	--	--	--	2	13	3	3	--	--	--	--	2	--	--	--
Alona spp.	--	--	--	--	--	3	--	1	--	--	--	--	--	--	--	--
Eurycercus lamellatus	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Ilyocryptus acutifrons	7	--	--	--	--	1	--	13	--	--	--	--	--	--	--	--
I. sordidus	--	4	5	4	8	6	8	--	--	--	--	--	--	--	--	--

Table 5f.--September 22-24, 1976 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	5 A	5 B	5 C	5 D	6 A	6 B	6 C	6 D	7 A	7 B	7 C	7 D
Latona setifera	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
Leydigia quadrangularis	--	--	--	--	--	--	--	--	2	--	--	--	--	--	--	--
Ostracoda	1	3	2	3	1	--	--	--	--	1	2	--	1	2	--	1
Nematoda	611	532	616	483	381	567	349	244	525	656	460	337	338	469	298	395
Tardigrada	10	16	19	4	2	1	3	--	8	7	16	10	9	7	7	18
Turbellaria	1	--	--	3	--	2	--	--	1	3	1	--	4	3	3	4
Dicranophoridae	25	13	19	1	11	3	10	12	49	37	90	52	10	17	108	52
Dissotrichia sp.	--	--	--	--	--	--	--	--	--	1	7	--	--	--	--	8
Other rotifer	17	7	2	3	5	6	10	6	--	--	--	--	--	1	--	2
Hydracarina	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5f.--September 22-24, 1976 (con.)

GROUP	STATION 8 A	8 B	8 C	8 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D	13 A	13 B	13 C	13 D
Latona setifera	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Leydigia quadrangularis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Ostracoda	3	--	--	1	--	1	1	--	3	--	1	5	--	--	1	2
Nematoda	1,377	1,030	2,431	1,602	364	481	278	931	269	200	165	252	242	246	238	223
Tardigrada	284	514	556	619	319	464	127	605	76	81	68	101	30	129	47	195
Turbellaria	6	2	5	--	2	3	--	--	--	--	4	--	--	--	--	--
Dicranophoridae	65	18	30	8	122	129	52	30	36	20	14	34	81	55	55	84
Dissotrichia sp.	8	2	--	2	--	--	7	30	17	5	--	30	2	21	14	--
Other rotifer	11	--	1	--	3	--	3	--	5	--	2	10	3	5	5	6
Hydracarina	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5g.--October 13-14 and 26, 1976

GROUP	STATION 1				4				7				8			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Enchytraeidae	--	--	--	--	--	--	--	--	2	--	3	2	--	--	--	1
Stylodrilus heringianus	--	--	--	--	--	--	--	--	--	--	--	--	17	8	5	4
Limnodrilis hoffmeisteri	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
Potamothrix vejdovskyi	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
Immature w/o hair setae	9	7	13	8	27	22	18	35	3	5	4	10	5	1	12	1
Immature w/ hair setae	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Amphichaeta **sp.**	3	1	3	2	--	--	--	--	--	--	1	1	--	--	1	--
Nais pardalis	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--
Vejdovskyella intermedia	--	--	--	--	--	--	--	--	--	--	--	--	2	6	--	2
Erpobdellidae	--	--	--	--	--	--	1	--	--	--	--	--	1	1	--	--
Helobdella stagnalis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Gammarus fasciatus	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Pontoporeia affinis	1	1	1	3	--	--	1	--	2	--	1	2	3	5	8	6
Amnicola **sp.**	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bythinia tentaculata	--	--	--	--	--	--	--	--	--	3	1	--	--	--	--	--

Table 5g.--October 13-14 and 26, 1976 (con.)

GROUP	STATION 10 A	10 B	10 C	10 D	11 A	11 B	11 C	13 A	13 B	13 C	13 D
Enchytraeidae	--	--	--	--	8	3	5	15	13	10	22
Stylodrilus heringianus	3	5	2	3	8	1	6	6	16	6	7
Limnodrilis hoffmeisteri	--	--	--	--	--	--	1	--	--	--	--
Potamothrix vejdovskyi	--	--	1	--	--	--	--	--	--	--	--
Immature w/o hair setae	3	16	12	11	2	--	2	1	3	--	2
Immature w/ hair setae	--	--	--	--	1	--	2	--	--	--	--
Amphichaeta sp.	--	2	--	--	1	--	--	--	--	1	--
Nais pardalis	--	--	--	--	--	--	--	--	--	--	--
Vejdovskyella intermedia	--	--	--	--	1	--	2	15	2	6	9
Erpobdellidae	--	--	--	--	--	--	--	--	--	--	--
Helobdella stagnalis	--	--	--	2	--	--	--	--	--	--	--
Gammarus fasciatus	--	--	--	--	--	--	--	--	--	--	--
Pontoporeia affinis	4	3	--	7	1	3	3	17	4	9	13
Amnicola sp.	--	--	--	--	--	--	1	--	--	--	--
Bythinia tentaculata	--	--	--	--	--	--	--	--	--	--	--

Table 5g.--October 13-14 and 26, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D
Physa sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Valvata sincera	1	--	--	1	--	--	--	--	1	3	--	1	1	--	--	1
Pisidium spp.	--	--	1	1	3	6	2	2	2	3	3	5	11	15	9	4
Sphaerium sp.	--	--	--	2	--	--	--	--	--	--	--	--	--	--	--	--
Chironomus fluviatilis - gr.	--	--	1	--	2	2	1	3	--	--	1	1	--	--	--	--
Cryptochironomus digitatus	--	--	--	--	--	--	--	2	--	--	--	1	--	--	--	--
C. fulvus - gr.	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Cladotanytarsus sp.	8	6	3	7	1	2	4	1	--	2	3	3	--	--	--	--
Heterotrissocladius changi	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Micropsectra sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Monodiamesa tuberculata	--	2	1	--	--	--	--	1	--	--	--	--	--	--	--	2
Paracladopelma uline	2	2	5	3	2	--	5	2	--	3	1	--	--	3	--	--
P. winnelli	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
Paracladopelma sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Polypedilum fallax	--	--	--	--	--	--	--	--	--	--	1	--	--	1	--	--

Table 5g.--October 13-14 and 26, 1976 (con.)

GROUP	STATION 10 A	10 B	10 C	10 D	11 A	11 B	11 C	13 A	13 B	13 C	13 D
Physa sp.	--	--	--	--	--	--	--	--	--	--	1
Valvata sincera	--	1	--	2	--	--	--	--	--	--	--
Pisidium spp.	1	2	--	5	--	3	7	4	5	1	6
Sphaerium sp.	--	--	1	1	2	1	1	1	--	--	--
Chironomus fluviatilis - gr.	--	--	--	--	--	--	--	--	--	--	--
Cryptochironomus digitatus	--	--	--	--	--	--	--	--	--	--	--
C. fulvus - gr.	--	--	--	--	--	--	--	--	--	--	--
Cladotanytarsus sp.	--	--	--	1	--	--	--	--	--	--	--
Heterotrissocladius changi	1	--	--	1	2	4	3	1	1	--	3
Micropsectra sp.	--	--	--	--	10	--	--	--	--	--	--
Monodiamesa tuberculata	1	--	--	--	1	1	2	--	--	--	--
Paracladopelma udine	--	--	--	--	--	--	--	--	1	--	--
P. winnelli	--	--	--	1	2	--	1	--	--	--	--
Paracladopelma sp.	--	--	--	--	--	--	--	--	--	1	--
Polypedilum fallax	1	--	--	--	1	--	15	--	--	--	--

Table 5g.--October 13-14 and 26, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D
P. scalaeum	--	1	--	1	--	1	1	5	1	--	--	--	--	--	--	--
Potthastia longimanus	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Saetheria tylus	4	4	3	4	--	--	--	2	1	--	--	1	--	--	--	--
Unknown	--	1	--	--	2	--	--	--	--	--	--	--	--	2	--	--
CI (Cyclopoid)	--	--	--	1	--	--	--	--	1	--	--	--	--	--	--	--
CII (Cyclopoid)	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
CIII (Cyclopoid)	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--
CIV (Cyclopoid)	1	--	1	1	--	--	--	2	--	2	--	1	4	3	3	2
Cyclops bicuspidatus thomasi ♀	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
C. vernalis ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Mesocyclops edax	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Paracyclops fimbriatus poppei	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--
Eurytemora affinis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CI (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5g.--October 13-14 and 26, 1976 (con.)

GROUP	STATION 10 A	10 B	10 C	10 D	11 A	11 B	11 C	13 A	13 B	13 C	13 D
P. scalaeum	--	--	--	1	--	--	--	--	--	--	--
Potthastia longimanus	--	--	--	--	--	--	--	--	--	--	--
Saetheria tylus	--	--	--	1	--	--	--	--	--	--	--
Unknown	--	--	--	4	--	--	--	--	1	--	--
CI (Cyclopoid)	--	--	--	--	--	--	--	--	--	--	--
CII (Cyclopoid)	--	1	--	1	--	--	--	--	--	--	--
CIII (Cyclopoid)	--	--	--	--	--	--	--	--	--	1	--
CIV (Cyclopoid)	1	1	--	1	--	1	--	2	6	--	2
Cyclops bicuspidatus thomasi ♀	--	--	--	--	--	--	--	--	--	--	--
C. vernalis ♀	--	--	--	--	--	--	--	--	--	--	1
Mesocyclops edax	--	--	--	--	--	--	--	--	--	--	1
Paracyclops fimbriatus poppei	--	2	--	1	1	--	--	--	--	--	3
Eurytemora affinis	--	--	--	--	--	2	--	--	--	--	--
CI (Harpacticoid)	--	--	--	--	2	1	--	--	--	--	--
CII (Harpacticoid)	--	--	--	--	4	--	2	--	--	--	--

Table 5g.--October 13-14 and 26, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D
CIII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CIV (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CV (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Attheyella cf. *nordenskioldii*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B. n. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B. n. ♂	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
B. cf. *vejdovskyi* ♀	--	1	--	1	1	--	1	--	--	--	--	--	1	--	3	--
B. cf. *v.* ♂	1	--	--	2	--	--	--	--	--	--	--	--	--	3	--	1
Canthocamptus robertcokeri	--	2	--	--	--	--	--	1	--	--	--	1	2	6	3	3
C. r. ♀ cyst	--	--	--	3	--	--	2	--	--	--	--	1	3	9	1	3
C. r. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
C. r. ♂	--	1	1	--	--	--	--	--	--	--	--	1	--	--	--	1
C. r. ♂ cyst	--	--	1	--	--	--	--	--	--	--	--	--	1	--	--	1

Table 5g.--October 13-14 and 26, 1976 (con.)

GROUP	STATION 10 A	10 B	10 C	10 D	11 A	11 B	11 C	13 A	13 B	13 C	13 D
CIII (Harpacticoid)	--	--	--	--	2	--	1	--	--	--	--
CIV (Harpacticoid)	--	--	--	--	2	1	--	1	--	--	1
CV (Harpacticoid)	--	--	--	--	1	--	--	3	--	--	1
Attheyella cf. *nordenskioldii*	--	--	--	--	1	--	2	--	--	--	--
Bryocamptus nivalis ♀	--	--	--	--	7	4	7	2	--	--	1
B. n. ♀ w/eggs	--	--	--	1	6	4	5	5	1	2	4
B. n. ♂	1	--	--	1	17	28	20	13	8	5	11
B. cf. *vejdovskyi* ♀	1	5	1	1	4	2	4	--	--	--	4
B. cf. *v.* ♂	1	6	2	4	3	1	6	--	--	--	2
Canthocamptus robertcokeri ♀	--	1	2	2	--	--	--	--	--	--	--
C. r. ♀ cyst	3	--	4	1	--	--	2	--	--	--	--
C. r. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--
C. r. ♂	1	--	--	--	1	--	--	--	--	--	--
C. r. ♂ cyst	--	--	1	--	1	--	--	--	--	--	--

Table 5g.--October 13-14 and 26, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D
C. staphylinoides ♀	--	--	1	--	--	--	--	1	--	--	--	--	--	--	--	--
C. s. ♀ cyst	3	1	--	--	--	--	--	--	--	--	2	--	--	--	--	--
C. s. ♂	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
C. s. ♂ cyst	--	1	--	1	--	--	1	--	--	--	--	--	--	--	--	--
Moraria cristata	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Parastenocaris sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Alona affinis	--	--	--	--	--	--	--	--	--	--	--	--	1	1	--	--
Alona spp.	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	1
Alonella sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
Bosmina longirostris	--	--	1	--	--	--	1	9	--	3	--	--	1	--	1	--
Ilyocryptus acutrifrons	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
I. sordidus	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--
Ostracoda	--	1	4	--	--	3	2	3	1	--	1	2	--	--	--	--
Nematoda	382	429	493	342	317	438	288	374	248	147	290	233	805	1,019	1,079	901

Table 5g.--October 13-14 and 26, 1976 (con.)

GROUP	STATION 10 A	10 B	10 C	10 D	11 A	11 B	11 C	13 A	13 B	13 C	13 D
C. staphylinoides ♀	--	--	--	--	--	--	--	--	--	--	--
C. s. ♀ cyst	--	--	--	--	--	--	--	1	--	--	--
C. s. ♂	1	--	--	--	--	--	--	--	--	1	--
C. s. ♂ cyst	--	--	--	--	--	--	--	--	--	--	--
Moraria cristata	--	--	--	--	--	1	1	--	--	--	--
Parastenocaris sp.	--	--	--	--	3	--	--	11	--	4	1
Alona affinis	--	--	--	--	--	--	--	--	--	--	--
Alona spp.	--	--	--	--	--	--	--	--	--	--	--
Alonella sp.	--	--	--	--	--	--	--	--	--	--	--
Bosmina longirostris	--	1	--	2	--	--	--	--	--	--	--
Hypocryptus acutrifrons	--	--	--	--	--	--	--	--	--	--	1
H. sordidus	--	--	--	--	1	3	--	--	--	--	5
Ostracoda	--	2	--	--	2	4	4	1	2	2	4
Nematoda	632	455	385	705	458	228	239	297	129	106	294

Table 5g.--October 13-14 and 26, 1976 (con.)

GROUP	STATION 1 A	1 B	1 C	1 D	4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	8 A	8 B	8 C	8 D
Tardigrada	8	9	4	9	15	7	9	17	8	2	3	4	71	155	205	192
Turbellaria	2	3	--	4	2	7	3	4	--	--	--	--	--	10	2	--
Dicranophoridae	2	47	5	18	8	3	18	15	14	5	--	--	1	62	52	86
Diasotrichia sp.	--	5	1	5	--	--	1	--	--	--	--	--	--	36	17	20
Other rotifer	--	1	2	--	1	--	1	2	--	--	1	--	--	6	5	2
Hydracarina	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5g.--October 13-14 and 26, 1976 (con.)

GROUP	STATION 10 A	10 B	10 C	10 D	11 A	11 B	11 C	13 A	13 B	13 C	13 D
Tardigrada	151	96	179	119	42	22	351	25	33	36	59
Turbellaria	1	2	1	5	1	2	3	6	1	1	--
Dicranophoridae	51	13	1	36	26	20	8	125	15	9	25
Dissotrichia sp.	8	1	--	5	11	4	12	12	5	--	7
Other rotifer	--	--	--	1	2	--	--	5	8	--	3
Hydracarina	--	--	--	--	1	1	--	--	--	--	--

Table 5h.--November 16, 1976

GROUP	STATION 10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Enchytraeidae	--	1	1	1	10	13	8	13
Stylodrilus heringianus	1	4	4	4	15	9	12	9
P. vejdovskyi	--	3	--	--	--	1	--	--
Immature w/o hair setae	4	13	8	8	1	1	2	1
Immature w/ hair setae	--	1	--	--	--	1	--	--
Amphichaeta sp.	--	--	--	--	1	--	--	--
Vejdovskyella intermedia	--	--	1	1	--	--	6	3
Helobdella stagnalis	--	4	1	--	--	--	--	--
Pontoporeia affinis	3	--	2	--	9	4	7	8
Valvata sincera	2	8	2	5	--	--	--	--
Pisidium sp.	6	13	20	10	1	2	5	5
Heterotrissocladius changi	--	--	--	1	--	--	--	--
Monodiamesa tuberculata	1	--	--	--	1	--	--	--
Polypedilum fallax	--	--	1	1	--	1	--	--
P. scalaenum	1	--	--	1	--	--	--	--

Table 5h.--November 16, 1976 (con.)

GROUP	STATION 10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Saetheria tylus	2	--	--	1	1	--	1	--
CIV (Cyclopoid)	2	1	2	4	--	2	--	--
CV (Cyclopoid)	--	--	--	--	--	--	1	--
CV (Harpacticoid)	--	--	--	--	--	--	1	1
Bryocamptus nivalis ♀	--	--	--	--	1	--	1	--
B. n. ♀ w/eggs	--	--	--	--	--	--	--	1
B. n. ♂	--	--	--	1	4	1	1	10
B. cf. *vejdovskyi* ♀	--	--	1	6	7	5	5	3
B. cf. *v.* ♂	--	1	1	2	4	--	2	1
Canthocamptus robertcokeri ♀	--	5	2	10	--	--	1	--
C. r. ♀ cyst	--	--	2	7	--	--	--	--
C. r. ♂	--	1	--	2	--	--	--	--
C. r. ♂ cyst	1	--	--	2	--	--	--	--
C. staphilinoides ♀	--	2	--	1	--	--	--	--
C. s. ♀ cyst	--	--	--	4	--	--	--	--

Table 5h.--November 16, 1976 (con.)

GROUP	STATION 10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Parastenocaris sp.	--	--	--	--	--	2	13	24
Ostracoda	--	2	1	--	2	--	--	1
Nematoda	261	435	339	569	270	236	125	201
Tardigrada	262	70	131	220	19	155	18	31
Turbellaria	1	--	2	2	1	--	2	--
Dicranophoridae	3	2	15	5	32	1	6	5
Dissotrichia sp.	--	--	11	--	9	--	1	1
Other rotifer	2	--	--	--	2	--	--	1

Table 5i.--May 2-3, 1977

GROUP	STATION 4			7				10					11				
	A	B	C	A	B	C	D	A	B	C	D	E	A	B	C	D	E
Enchytraeidae	--	--	--	--	--	3	--	--	--	1	--	--	1	--	--	--	--
Stylodrilus heringianus	1	--	--	--	--	1	--	4	11	10	8	7	21	27	25	19	25
Limnodrilus hoffmeisteri	--	--	4	--	--	--	--	--	--	--	1	--	--	--	--	--	--
Potamothrix vejdovskyi	--	--	--	--	--	--	--	--	1	3	7	--	2	1	--	3	1
Immature w/o hair setae	5	1	31	4	1	--	3	2	24	2	19	4	3	2	1	1	1
Immature w/ hair setae	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2	--
Amphichaeta sp.	18	8	7	5	4	1	--	15	12	27	24	10	1	--	--	--	2
Nais elinguis	--	4	4	1	1	--	--	--	--	--	1	--	--	--	--	--	--
Vejdovskyella intermedia	1	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	2
Helobdella stagnalis	--	--	--	--	--	--	--	--	2	--	--	--	--	--	--	--	--
Pontoporeia affinis	23	--	1	--	2	33	7	10	1	--	19	1	12	8	14	8	5
Bythinia tentaculata	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Valvata sincera	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Pisidium spp.	--	--	--	--	--	--	--	2	--	1	--	2	--	--	1	1	--

Table 51.--May 2-3, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	10 E	11 A	11 B	11 C	11 D	11 E
Sphaerium sp.	--	--	--	--	--	--	--	--	1	--	--	--	--	--	1	4	3
Ceratopogonidae	--	--	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Chironomus fluviatilis - gr.	1	1	--	--	1	1	--	--	--	--	--	--	--	--	--	--	--
Cladotanytarsus sp.	4	--	1	3	6	4	1	--	--	--	--	--	--	--	--	--	--
Crytochironomus digitatus	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Harnischia sp.	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Heterotrissocladius changi	--	1	--	--	--	--	--	--	--	--	1	--	1	2	--	1	--
Micropsectra sp.	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Monodiamesa tuberculata	--	1	--	--	--	--	--	--	--	--	--	--	--	--	1	2	--
Paracladopelma udine	2	2	--	--	2	--	--	--	--	--	--	--	--	--	--	--	--
P. winnelli	--	--	--	--	--	--	--	1	--	--	--	1	--	--	--	--	--
Polypedilum fallax	--	--	--	--	--	--	--	--	2	1	1	--	--	1	--	--	1
P. scalaeum	--	--	1	--	1	2	--	--	--	--	--	1	--	--	--	--	--
Procladius sp.	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5i.--May 2-3, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	10 E	11 A	11 B	11 C	11 D	11 E
Psectrocladius simulans	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Saetheria tylus	2	1	1	--	--	--	1	--	--	--	--	--	--	--	--	--	--
CI (Cyclopoid)	2	--	--	--	2	2	--	--	--	--	--	--	--	--	--	--	--
CII (Cyclopoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
CIII (Cyclopoid)	--	--	--	--	1	--	--	--	--	--	--	--	--	--	1	--	--
CIV (Cyclopoid)	12	5	10	11	6	2	8	--	--	--	1	--	--	--	--	--	--
CV (Cyclopoid)	3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cyclops bicuspidatus thomasi ♀	--	1	1	4	--	--	--	--	--	--	--	--	--	--	--	--	--
C. b. t. ♂	--	--	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. vernalis ♀	--	--	4	1	--	--	1	--	--	--	--	--	--	--	--	--	--
C. v. ♀ w/eggs	--	1	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
C. v. ♂	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Mesocyclops edax	1	--	--	1	--	--	--	--	2	--	--	1	--	--	--	--	--
Paracyclops fimbriatus poppei	1	1	--	3	--	1	--	--	--	--	--	--	--	1	--	--	--

Table 5i.--May 2-3, 1977 (con.)

GROUP	STATION 4			7				10					11				
	A	B	C	A	B	C	D	A	B	C	D	E	A	B	C	D	E
CII (Harpacticoid)	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
CIII (Harpacticoid)	--	1	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--
CIV (Harpacticoid)	--	--	--	--	2	--	--	--	--	--	1	--	--	--	--	--	--
CV (Harpacticoid)	--	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Ittheyella cf. *nordenskioldii*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	--	--	--	--	3	5	3	7	--
B. n. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	10	2	2	2	4
B. n. ♂	--	--	--	--	--	--	--	--	--	--	--	--	5	--	2	6	3
B. cf. *vejdovskyi* ♀	--	--	--	--	--	--	--	1	--	2	--	1	3	4	6	2	6
B. cf. *v.* ♀ w/eggs	--	--	--	--	--	--	--	2	3	--	1	1	1	3	2	4	5
B. cf. *v.* ♂	--	--	--	--	--	--	--	--	1	3	1	2	2	--	11	1	1
Canthocamptus robertcokeri ♀	1	--	2	--	6	--	--	8	3	6	9	--	13	3	3	5	5
C. r. ♀ w/eggs	--	--	1	--	2	--	--	--	--	--	1	--	6	1	--	--	--
C. r. ♂	--	1	1	--	1	1	--	3	--	1	3	--	6	1	1	3	3
C. staphylinoides ♀	--	1	--	1	--	--	1	--	--	--	1	--	--	--	2	--	--

Table 5i.--May 2-3, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	10 E	11 A	11 B	11 C	11 D	11 E
C. s. d	--	1	1	--	--	--	--	--	--	--	2	--	--	--	--	--	--
Moraria cristata	--	--	--	--	--	--	--	--	--	--	--	--	2	--	--	--	--
Nauplii	1	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--
Alona affinis	--	--	--	--	1	1	--	--	--	--	--	--	--	--	--	--	--
Alona spp.	--	--	--	--	--	2	--	--	--	--	--	--	--	--	--	--	--
Bosmina longirostris	--	--	--	--	1	--	1	--	--	--	--	--	--	--	--	--	--
Chydorus sphaericus	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Leydigia quadrangularis	--	--	--	1	--	--	1	--	--	--	--	--	--	--	--	--	--
Macrothrix laticornis	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
Ostracoda	1	2	--	--	--	1	--	--	--	--	--	1	9	2	--	--	1
Nematoda	286	392	264	270	494	525	163	1,166	906	984	1,247	1,072	945	709	1,217	1,080	1,018
Tardigrada	20	11	1	2	4	1	--	39	42	72	45	17	5	--	2	4	--
Turbellaria	1	--	1	--	--	--	--	--	2	--	1	--	--	1	--	--	--
Dicranophoridae	47	105	33	23	64	57	1	19	27	15	70	78	15	14	5	32	11

Table 5i.--May 2-3, 1977 (con.)

GROUP	STATION																	
	4			7				10					11					
	A	B	C	A	B	C	D	A	B	C	D	E	A	B	C	D	E	
Dissotrichia sp.	--	--	--	--	1	--	--	--	--	--	--	--	2	--	--	1	1	
Other rotifer	1	--	1	2	1	--	--	--	--	--	--	--	--	--	--	1	--	

Table 5j.--June 3, 1977

GROUP	STATION 4				7				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Enchytraeidae	--	--	--	--	2	4	4	3	3	6	9	1	16	19	7	16
Stylodrilus heringianus	--	--	--	--	--	--	--	--	9	3	7	12	11	8	8	14
Limnodrilus augustipenis	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
L. hoffmeisteri	--	1	1	9	--	--	1	--	--	--	--	--	--	--	--	--
Peloscolex superiorensis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2	--
P. moldaviensis	--	--	--	3	--	--	--	--	--	--	--	2	--	--	--	--
P. vejdovskyi	--	--	--	2	--	--	--	--	--	--	1	1	--	--	1	--
Rhyacodrilus coccineus	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--
Immatures w/o hair setae	--	3	1	8	2	4	1	7	6	7	5	10	2	2	3	4
Immatures w/ hair setae	--	--	--	--	--	--	--	--	--	--	1	--	--	--	3	--
Amphichaeta sp.	26	23	35	77	49	26	60	36	34	46	31	42	6	--	--	1
Chaetogaster diaphanus	6	3	--	5	1	4	--	7	--	--	--	--	2	1	--	1
Chaetogaster sp.	--	--	--	--	--	--	--	--	1	--	--	6	1	1	--	4
Nais elinguis	1	5	1	7	2	--	1	1	--	1	3	--	--	--	--	--

Table 5j.--June 3, 1977 (con.)

GROUP	STATION 4				7				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
N. paradalis	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nais sp.	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Piguetiella michiganensis	1	2	--	--	5	--	3	--	--	1	--	--	1	2	1	--
Stylaria lacustris	3	4	3	2	--	--	--	--	--	--	--	--	--	--	--	--
Uncinais uncinata	--	--	--	--	--	1	--	1	--	--	--	--	--	--	--	--
Vejovskyella intermedia	8	23	46	24	2	2	2	3	2	2	2	1	--	--	1	--
Pontoporeia affinis	--	--	--	1	6	2	3	4	29	20	29	28	14	21	31	17
Bythinia tentaculata	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Valvata sincera	--	--	--	--	--	--	--	1	--	1	2	--	--	--	--	--
Pisidium spp.	--	--	--	--	--	1	--	2	--	--	--	--	1	--	3	1
Sphaerium sp.	--	--	--	--	--	--	--	--	--	2	--	--	--	--	3	--
Cladotanytarsus sp.	--	--	1	1	1	--	5	3	4	1	--	--	--	--	--	--
Cryptochironomus fulvus-gr.	--	--	--	--	1	--	--	1	--	--	--	--	--	--	--	--
Harnischia sp.	--	--	3	--	--	--	--	--	--	--	--	--	--	--	--	--
Heterotrissocladius changi	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--

Table 5j.--June 3, 1977 (con.)

GROUP	STATION 4				7				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Monodiamesa tuberculata	--	--	--	--	--	--	--	--	--	1	1	--	--	--	--	--
Paracladopelma udine	1	1	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Polypedilum fallax	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--
P. scalaeum	1	--	3	--	--	3	--	3	--	1	--	--	--	--	--	--
Psectrocladius sp.	--	--	1	1	--	--	--	1	--	--	--	--	--	--	--	--
Saetheria tylus	--	--	--	1	--	--	--	--	--	--	--	--	--	1	--	--
CI (Cyclopoid)	--	1	1	1	--	--	--	2	--	1	--	--	3	--	--	--
CII (Cyclopoid)	--	--	1	--	--	--	--	--	--	2	--	--	1	--	1	--
CIII (Cyclopoid)	--	1	1	1	2	1	--	1	--	2	1	1	--	--	--	--
CIV (Cyclopoid)	9	19	14	64	6	3	1	12	3	7	3	5	2	2	2	2
CV (Cyclopoid)	--	--	--	1	1	--	--	1	1	1	--	--	--	1	--	--
Cyclops bicuspidatus thomasi ♀	1	1	--	1	1	--	3	1	--	6	3	4	--	--	--	--
C. b. t. ♀ w/eggs	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. b. t. ♂	--	--	--	1	--	--	1	--	1	--	--	--	--	--	--	--
C. vernalis ♀	4	5	14	5	3	--	2	6	--	3	1	--	--	--	--	--

Table 5j.--June 3, 1977 (con.)

GROUP	STATION 4				7				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
C. v. ♀ w/eggs	1	--	1	--	--	--	--	--	--	--	1	1	--	--	--	--
C. v. ♂	2	1	--	1	3	1	1	--	1	1	2	1	--	--	--	--
Eucyclops agilis	3	--	11	11	2	--	1	2	--	--	--	3	--	--	--	--
Mesocyclops edax	1	--	1	--	--	--	1	--	--	--	--	--	--	--	--	--
Paracyclops fimbriatus poppei	2	3	1	--	1	--	--	1	--	--	--	--	--	--	--	--
Tropocyclops prasinus mexicanus	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Eurytemora affinis	2	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Limnocalanus macrurus	--	--	--	--	--	1	--	--	--	1	--	--	--	--	--	--
CI (Harpacticoid)	--	1	1	6	2	--	--	1	--	--	5	1	1	--	--	--
CII (Harpacticoid)	--	2	--	1	2	1	--	--	--	2	1	--	--	--	--	--
CIII (Harpacticoid)	--	--	--	1	--	--	--	--	--	1	3	--	--	--	--	--
CIV (Harpacticoid)	--	--	--	--	5	1	--	2	--	--	--	--	--	--	--	--
CV (Harpacticoid)	--	--	1	1	1	1	--	--	--	--	--	--	--	--	--	--
Bryocamptus nivalis ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
B. cf. *vejdovskyi* ♀	1	2	1	--	1	1	1	--	--	3	3	--	2	--	1	1

Table 5j.--June 3, 1977 (con.)

GROUP	STATION 4				7				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
B. cf. *v.* ♀ w/eggs	2	5	2	--	3	1	2	1	3	3	3	--	1	2	4	1
B. cf. *v.* ♂	--	6	1	--	1	2	3	2	5	3	4	--	1	1	--	--
Canthocamptus robertcokeri ♀	--	2	--	5	--	1	--	--	3	5	10	9	--	1	1	1
C. r. ♀ cyst	--	--	--	2	--	--	--	--	--	--	--	--	--	--	--	--
C. r. ♀ w/eggs	--	--	1	--	--	--	--	--	--	--	--	3	--	--	--	--
C. r. ♂	--	--	1	2	--	--	--	1	2	2	--	4	--	--	--	--
C. r. ♂ cyst	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
C. staphylinoides ♀	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
C. s. ♂	--	--	--	--	--	--	--	--	--	--	--	1	--	1	--	--
Parastenocaris sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	7	5	--
Nauplii	--	6	3	1	1	1	--	--	3	1	--	4	1	--	--	--
Alona affinis	--	1	1	1	1	--	--	1	1	--	1	--	--	--	--	--
Alona spp.	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--
Bosmina longirostris	1	1	1	--	1	1	--	--	--	4	--	3	1	--	--	2

Table 5j.--June 3, 1977 (con.)

GROUP	STATION 4				7				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Eurycercus lamellatus	1	--	2	2	--	--	2	1	--	--	--	--	--	--	--	--
Ilyocryptus acutifrons	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--
Leydigia quadrangularis	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Ostracoda	1	3	2	1	--	--	--	--	--	--	--	--	--	--	3	1
Nematoda	112	135	689	274	677	537	611	1,004	739	724	612	1,326	817	637	720	449
Tardigrada	--	--	1	--	--	--	--	--	104	26	86	178	84	40	52	12
Turbellaria	1	1	--	--	--	1	3	1	13	7	7	14	2	1	7	2
Dicranophoridae	--	5	16	4	--	--	--	--	29	2	3	10	2	12	7	6
Dissotrichia sp.	--	--	--	--	--	--	--	2	2	--	--	2	1	2	12	--
Other rotifers	--	--	3	--	--	--	--	1	--	1	6	3	11	10	8	2

Table 5k.--July 11, 1977

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Enchytraeidae	--	--	--	--	2	1	--	--	--	2	--	--	2	7	4	2
Stylodrilus heringianus	--	--	--	--	--	1	--	--	--	1	2	1	8	10	20	11
Limnodrilus hoffmeisteri	--	--	--	--	3	--	1	--	--	--	--	--	--	--	--	1
Potamothrix moldaviensis	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
P. vejdovskyi	--	--	--	--	--	--	--	--	--	2	--	--	--	--	--	--
Rhyacodrilus coccineus	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--
Immatures w/o hair setae	3	--	4	3	7	3	3	1	3	6	7	5	1	--	3	--
Immatures w/ hair setae	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	1
Amphichaeta sp.	--	1	--	--	5	4	1	1	--	1	--	--	--	--	--	--
Chaetogaster diaphanus	1	5	4	1	--	1	1	1	--	2	--	7	--	--	--	--
Chaetogaster sp.	3	--	--	--	2	--	--	--	--	--	--	--	--	--	--	--
Nais elinguis	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
N. pardalis	--	--	--	--	3	1	--	--	1	--	--	2	--	--	--	--
Piguetiella michiganensis	--	--	--	--	9	2	--	--	--	1	3	2	2	--	3	1
Pristina longiseta leidyi	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--

Table 5k.--July 11, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Stylaria lacustris	--	--	--	--	--	3	--	--	--	--	--	--	--	--	--	--
Uncinais uncinata	4	2	--	--	3	5	8	5	1	--	--	1	--	--	--	--
Vejovskyella intermedia	2	4	--	1	10	8	15	16	7	4	6	3	--	--	1	--
Pontoporeia affinis	1	1	2	--	1	3	3	5	11	17	14	19	10	5	5	5
Pisidium spp.	--	--	--	--	--	--	--	--	--	--	1	1	--	1	--	--
Chironomus anthracinus - gr.	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--
C. fluviatilis - gr.	1	--	1	--	1	--	--	--	--	--	--	--	--	--	--	--
Cladotanytarsus sp.	1	1	--	2	2	2	1	--	--	--	--	--	--	--	--	--
Heterotrissocladius grimshawii	--	--	--	--	1	--	--	3	--	--	--	--	--	--	1	--
Micropsectra sp.	--	--	--	--	--	--	--	1	--	--	--	--	--	1	--	--
Monodiamesa tuberculata	--	--	--	--	--	--	--	1	1	--	1	--	--	1	--	--
Paracladopelma udine	1	--	--	1	1	--	1	--	--	--	--	2	--	--	1	--
P. winnelli	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Polypedilum fallax	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
P. scalaeum	--	--	--	--	2	--	--	--	--	--	--	--	--	--	--	--

Table 5k.--July 11, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Psectrocladius simulans	--	--	--	--	--	--	--	1	--	--	--	1	--	--	--	--
Psectrocladius sp.	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Unknown chironomid	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
CI (Cyclopoid)	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
CII (Cyclopoid)	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
CIII (Cyclopoid)	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
CIV (Cyclopoid)	2	--	--	--	6	1	6	4	--	--	--	--	--	--	--	--
CV (Cyclopoid)	5	--	--	--	--	1	1	3	--	--	--	--	--	--	1	--
Cyclops bicuspidatus thomasi ♀	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
C. b. t. ♂	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Cyclops vernalis ♀	1	--	--	--	2	2	12	11	1	--	--	--	1	--	--	--
C. v. ♀ w/eggs	1	--	1	--	1	2	1	1	--	--	--	--	--	--	--	--
C. v. ♂	2	--	--	--	--	1	--	3	--	--	--	--	--	--	--	--
Eucyclops agilis	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--

Table 5k--October 17, 1977 (con.)

Table 5k.--July 11, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Paracyclops fimbriatus poppei	--	--	--	--	1	3	5	11	--	--	--	1	--	--	--	--
Eurytemora affinis	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
CI (Harpacticoid)	--	--	--	--	--	--	--	1	--	--	1	--	--	--	--	--
CII (Harpacticoid)	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
CIII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
CIV (Harpacticoid)	--	--	--	--	--	--	--	2	--	--	2	--	--	--	--	--
CV (Harpacticoid)	--	--	--	--	--	--	1	3	--	--	1	1	--	--	--	--
Bryocamptus cf. *vejdovskyi* ♀	--	--	--	--	2	1	--	4	2	1	--	--	--	--	--	--
B. cf. *v.* ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--
B. cf. *v.* ♂	--	--	--	--	1	1	--	--	--	--	3	--	--	--	--	--
Canthocamptus robertcokeri ♀	1	--	--	--	1	1	1	8	--	--	2	--	--	--	--	--
C. r. ♀ cyst	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
C. r. ♂	--	--	--	--	--	--	--	4	--	--	1	--	--	--	--	--
C. r. ♂ cyst	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--

Table 5k.--July 11, 1977 (con.)

GROUP	STATION 4				7				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
C. staphilinoides ♀	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
C. s. ♂	--	--	--	1	--	1	--	2	--	--	--	--	--	--	--	--
C. s. ♂ cyst	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Alona affinis	--	--	--	--	11	1	7	47	--	--	--	1	--	--	--	--
Bosmina longirostris	--	--	--	--	1	--	--	5	--	--	--	--	--	--	--	--
Eurycercus lamellatus	2	1	--	--	3	3	8	5	--	--	--	1	--	--	--	--
Ilyocryptus acutifrons	--	--	--	--	1	1	--	7	1	1	--	1	--	--	--	--
Leydigia quadrangularis	--	--	--	--	--	--	2	4	--	--	--	--	--	--	--	--
Ostracoda	--	--	--	--	--	--	1	1	--	1	--	--	--	--	--	--
Nematoda	83	89	149	330	379	355	58	967	497	465	488	442	304	265	342	162
Tardigrada	--	--	--	1	--	--	1	1	14	2	13	1	1	--	4	--
Turbellaria	--	--	2	--	--	--	--	--	1	1	--	--	--	--	--	--
Dicranophoridae	2	--	--	2	--	--	3	2	16	4	--	9	1	--	4	2
Hydra americanus	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--

Table 51.--August 8-9, 1977

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Helobdella stagnalis	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
Pontoporeia affinis	--	1	2	1	--	--	3	1	19	28	26	11	8	22	11	18
Valvata sincera	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Sphaeriidae	2	--	--	--	--	3	2	1	--	--	5	3	--	2	1	2
Chironomus fluviatilis - gr.	2	2	3	--	--	7	1	4	--	--	--	--	--	--	--	--
Cladotanytarsus sp.	--	--	--	--	1	--	1	1	--	--	--	--	--	--	--	--
Heterotrissocladius changi	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Micropsectra sp.	--	--	--	--	--	--	--	--	--	--	--	--	3	--	--	--
Monodiamesa tuberculata	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
Parachironomus demeijerci	--	--	1	1	--	--	--	--	--	--	--	--	--	--	--	--
Paracladopelma winnelli	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
Polypedilum scalaeum	3	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Psectrocladius simulans	--	--	--	--	--	3	--	1	--	--	--	--	--	--	--	--
Saetheria tylus	--	1	--	1	--	--	--	--	--	--	--	--	--	--	--	--
CIII (Cyclopoid)	--	--	--	--	--	--	--	2	--	--	--	--	--	--	--	--

Table 31.--August 8-9, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
CIV (Cyclopoid)	3	1	1	12	3	2	2	2	--	--	--	--	--	--	--	--
CV (Cyclopoid)	-	3	--	2	--	--	--	--	--	--	--	--	--	--	--	--
Cyclops bicuspidatus thomasi ♀	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
C. b. t. ♂	--	--	1	--	1	--	--	--	--	--	--	--	--	--	--	--
C. vernalis ♀	2	3	5	2	--	--	1	2	--	--	--	--	--	--	--	--
C. v. ♀ w/eggs	--	1	3	--	--	--	--	1	--	--	--	--	--	--	--	--
C. v. ♂	2	1	4	--	1	--	--	--	--	--	--	--	--	--	--	--
Eucyclops agilis	--	--	2	1	--	--	1	--	--	--	--	--	--	--	--	--
Mesocyclops edax	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Paracyclops fimbriatus poppei	2	2	7	3	2	3	1	4	--	--	--	--	--	--	--	--
Eurytemora affinis	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
CI (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--
CII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	2	--	--	--
CV (Harpacticoid)	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	1

Table 51.--August 8-9, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
B. n. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--	--
B. n. ♂	--	--	--	--	--	--	--	--	--	--	--	--	6	--	--	1
B. cf. *vejdovskyi* ♀	1	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
B. cf. *v.* ♂	--	--	--	--	--	3	1	--	--	--	--	--	--	--	--	--
Canthocamptus robertcokeri ♀	2	1	2	2	--	--	--	1	--	--	--	1	--	--	--	--
C. r. ♀ cyst	1	--	--	--	--	1	--	1	--	--	--	--	--	--	--	--
C. r. ♂	--	1	1	--	1	--	1	--	--	--	--	1	--	--	--	--
C. r. ♂ cyst	--	--	--	--	1	--	--	1	--	--	--	--	--	--	--	--
C. staphylinoides ♀	1	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. s. ♂	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Nauplii	--	--	--	3	--	--	--	--	--	--	--	--	--	--	--	--
Alona affinis	7	2	15	11	9	17	9	19	--	--	--	--	--	--	--	--
Alona spp.	--	--	--	--	--	3	1	1	--	--	--	--	--	--	--	--
Bosmina longirostris	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Eurycercus lamellatus	2	--	3	1	--	--	--	4	--	--	--	--	--	--	--	--

Table 51.--August 8-9, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Ilyocryptus acutifrons	5	2	2	3	1	14	3	8	--	--	--	--	--	--	--	--
Leydigia quadrangularis	--	--	--	--	1	2	--	1	--	--	--	--	--	--	--	--
Ostracoda	3	--	--	1	--	4	1	1	--	--	--	--	--	--	2	--
Nematoda	874	571	410	2,235	1,057	1,350	828	1,503	284	65	317	285	633	639	331	773
Tardigrada	2	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--
Turbellaria	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Dicranophoridae	--	--	--	--	--		3	8	--	--	--	--	--	--	--	--
Hydra americanus	--	--	--	--		1	1	--	1	2	--	12	--	4	--	8	--

Table 5m.--September 19-20, 1977

GROUP	STATION 4				7				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Enchytraeidae	--	--	1	--	1	--	--	1	3	3	11	3	--	1	3	--
Stylodrilus heringianus	--	--	1	--	--	--	1	--	17	18	28	11	16	22	25	23
Aulodrilus pluriseta	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--
Limnodrilus hoffmeisteri	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--
Potamothrix moldaviensis	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--
P. vejdovskyi	--	--	2	--	4	3	--	--	4	2	2	--	1	--	1	--
Immatures w/o hair setae	5	11	13	13	19	34	38	21	11	10	16	11	2	--	2	1
Immatures w/ hair setae	--	--	1	--	--	--	--	--	--	1	1	--	1	--	--	--
Amphichaeta sp.	1	21	13	26	18	30	23	6	1	4	2	4	4	1	1	3
Chaetogaster sp.	4	--	--	--	7	--	--	--	2	1	3	7	--	4	1	1
Nais pardalis	--	1	1	2	3	3	--	--	--	--	--	--	--	--	--	--
Piguetiella michiganensis	--	--	3	2	2	--	2	5	--	1	--	--	--	--	--	--
Uncinais uncinata	--	--	1	--	1	4	2	1	1	--	--	--	--	--	--	--
Vejdovskyella intermedia	--	--	5	1	4	6	1	4	11	22	10	15	20	30	30	23
Helobdella stagnalis	--	--	--	--	--	--	--	--	--	--	3	--	2	--	--	--

Table 5m.--September 19-20, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Pontoporeia affinis	--	1	1	2	--	2	1	--	13	4	14	11	21	12	6	7
Bythinia tentaculata	--	1	1	--	--	1	--	--	1	--	--	--	--	--	--	--
Valvata sincera	--	--	--	--	1	--	2	--	1	--	--	--	--	--	--	--
Pisidium spp.	--	--	--	--	--	--	--	--	5	--	12	4	--	8	7	9
Sphaerium spp.	--	--	--	--	--	--	--	--	1	1	1	--	12	1	1	3
Chironomus fluviatilis - gr.	--	1	2	--	--	1	--	1	--	--	--	--	--	--	--	--
Chironomus sp. w/o bloodgills	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Chironomus sp.	--	--	1	1	--	--	1	--	--	--	--	--	1	--	1	--
Cladotanytarsus sp.	1	--	3	1	1	5	5	--	--	--	--	--	--	--	--	--
Cryptochironomus digitatus	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--
C. fulvus - gr.	--	--	--	--	--	1	2	--	--	--	--	--	--	--	--	--
Heterotrissocladius changi	--	--	--	1	--	--	4	--	2	--	--	5	3	--	--	--
H. oliveri	--	--	--	--	--	--	--	--	--	--	--	--	2	--	--	--
Micropsectra sp.	--	--	--	--	--	--	--	--	--	--	--	--	--	3	--	--
Monodiamesa tuberculata	--	--	--	--	1	--	--	--	--	--	--	--	--	--	1	--

Table 5m.--September 19-20, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Paracladopelma udine	1	--	--	2	2	--	1	--	--	--	--	--	--	--	--	--
Polypedilum scalaeum	2	1	5	1	3	5	1	--	--	--	--	--	--	--	--	--
Psectrocladius simulans	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
Psectrocladius sp.	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	2
Saetheria tylus	9	7	5	4	--	--	--	--	--	--	--	1	--	--	--	--
Tanytarsus sp.	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
Unknown chironomid	--	--	2	1	--	--	--	--	--	--	2	--	--	--	1	2
CIII (Cyclopoid)	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
CIV (Cyclopoid)	--	1	4	--	1	6	7	1	--	--	--	2	--	--	--	--
CV (Cyclopoid)	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--
Cyclops bicuspidatus thomasi ♀	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
C. b. t. ♀ w/eggs	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
C. b. t. ♂	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
C. vernalis ♀	--	--	--	1	--	--	--	1	--	--	--	--	--	--	--	--
C. v. ♂	--	--	--	--	2	--	--	--	--	--	--	--	--	--	--	--

Table 5m.--September 19-20, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Mesocyclops edax	--	--	--	--	--	3	3	1	--	--	--	--	--	--	--	--
Paracyclops fimbriatus poppei	--	--	1	1	1	--	--	--	--	--	--	--	--	--	--	--
Eurytemora affinis	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
CI (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	2	--	2	--
CII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	2	3	--	5
CIII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	1	3	--	2
CIV (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	4	2	4
CV (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	7	7	10	6
Attheyella cf. *nordenskioldii*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	1	--	--	--	61	26	20	36
B. n. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	8	2	1	3
B. n. ♂	--	--	--	--	--	--	--	--	--	--	--	--	14	13	4	6
B. cf. *vejdovskyi* ♀	--	--	--	1	2	6	1	--	2	--	2	2	1	--	1	--
B. cf. *v.* ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--
B. cf. *v.* ♂	--	--	--	3	1	1	--	--	2	--	1	3	--	--	--	--

Table 5m.--September 19-20, 1977 (con.)

GROUP	STATION 4				7				10				11			
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Canthocamptus robertcokeri ♀	--	1	--	--	1	--	--	--	--	--	--	2	--	--	--	--
C. r. ♀ cyst	--	--	1	--	--	--	--	--	--	--	1	--	--	--	--	--
C. r. ♂	--	--	1	3	--	--	--	--	--	--	--	--	--	--	--	--
C. r. ♂ cyst	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
C. staphylinoides ♀	--	--	--	--	--	--	4	--	--	--	--	--	--	--	--	--
C. s. ♀ cyst	--	--	--	--	1	--	1	--	--	--	--	--	--	--	--	--
C. s. ♂	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--
C. s. ♂ cyst	--	--	--	--	--	--	2	--	--	--	--	--	--	--	--	--
Nauplii	--	--	--	2	--	--	--	--	--	--	--	--	--	--	--	--
Alona affinis	1	2	11	3	1	1	2	4	--	--	--	--	--	--	--	--
Alona spp.	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Alonella sp.	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Bosmina longirostris	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--
Chydorus sphaericus	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Eurycercus lamellatus	--	--	--	--	--	1	--	1	--	--	--	--	--	--	--	--

Table 5m.--September 19-20, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	7 D	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Ilyocryptus acutifrons	--	--	--	--	--	1	--	--	1	--	2	2	--	--	--	--
I. sordidus	--	--	--	--	--	--	2	--	--	1	--	--	--	--	--	--
Ostracoda	--	--	2	--	1	1	3	--	--	--	1	--	19	7	1	12
Nematoda	495	407	573	749	968	326	878	257	474	439	593	680	948	1,271	684	1,110
Tardigrada	--	5	17	8	2	2	3	--	20	10	58	12	3	--	--	--
Turbellaria	--	3	5	4	--	12	4	1	12	3	5	2	--	2	2	1
Dicranophoridae	--	2	13	21	--	--	--	1	18	--	4	12	4	10	1	11
Dissotrichia sp.	--	--	4	--	--	--	--	--	8	--	1	1	3	15	--	7
Other rotifer	--	--	1	3	--	--	1	--	--	--	--	--	--	5	--	--
Hydra americanus	--	--	1	--	--	--	1	--	--	2	--	--	--	--	--	--
Hydracarina	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 5n.--October 17, 1977

GROUP	STATION 11 A	B	C	D
Enchytraeidae	1	1	--	1
Stylodrilus heringianus	13	16	40	21
Immature w/o hair setae	--	1	3	5
Amphichaeta sp.	3	3	3	2
Chaetogaster sp.	4	27	6	8
Vejdovskyella intermedia	31	29	31	19
Pontoporeia affinis	10	6	7	1
Pisidium spp.	1	8	--	8
Sphaerium sp.	--	2	6	2
Heterotrissocladius changi	1	2	1	--
H. oliveri	--	2	1	1
Micropsectra sp.	--	--	--	2
Paracladopelma winnelli	--	--	3	1
Polypedilum fallax	--	--	1	--
CII (Cyclopoid)	--	--	1	--
CIV (Cyclopoid)	--	--	4	--
Cyclops vernalis	--	--	--	1
Paracyclops fimbriatus poppei	--	--	1	--
CI (Harpacticoid)	--	1	--	--
CII (Harpacticoid)	--	4	--	--
CIV (Harpacticoid)	--	1	2	--
CV (Harpacticoid)	--	4	4	1
Attheyella cf. *nordenskioldii*	--	2	--	--
Bryocamptus nivalis ♀	1	101	51	17
B. n. ♀ w/eggs	--	14	9	11
B. n. ♂	5	55	41	13
B. cf. *vejdovskyi* ♀	1	2	6	2
B. cf. *v.* ♂	--	--	1	--
Canthocamptus robertcokeri ♀	--	1	--	1
C. r. ♂	--	--	1	--

Table 5n.--October 17, 1977 (con.)

GROUP	STATION 11 A	B	C	D
C. staphylinoides ♀	--	--	2	--
Ostracoda	--	2	16	3
Nematoda	663	901	935	941
Tardigrada	--	--	1	1
Turbellaria	3	2	2	--
Dicranophoridae	--	17	--	5
Dissotrichia sp.	--	25	--	10
Other rotifer	--	3	--	1

Table 5o.--November 14, 1977

GROUP	STATION 4				7			10				11			
	A	B	C	D	A	B	C	A	B	C	D	A	B	C	D
Enchytraeidae	1	--	1	--	1	3	1	15	16	5	1	9	6	6	8
Stylodrilus heringianus	--	--	1	--	--	--	--	12	16	12	10	11	6	10	14
Aulodrilus limnobius	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
A. pluriseta	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--
Potamothrix vejdovskyi	--	--	1	--	--	1	1	--	--	1	2	--	--	--	--
Immature w/o hair setae	3	3	3	2	19	10	14	4	3	5	3	1	1	--	1
Immature w/ hair setae	--	--	--	--	--	--	--	1	--	--	--	--	4	1	1
Amphichaeta sp.	--	3	--	5	25	6	20	--	--	--	--	1	1	--	--
Chaetogaster diaphanus	2	1	--	--	--	--	--	--	--	--	--	1	--	--	--
Chaetogaster sp.	--	2	--	--	1	3	1	1	3	1	2	--	1	--	5
Nais pardalis	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Piguetiella michiganensis	--	2	2	--	--	1	2	--	--	--	--	--	--	--	--
Uncinais uncinata	--	--	--	--	--	1	2	--	--	--	--	--	--	--	--
Veydovskyella intermedia	--	--	--	--	1	1	--	1	2	2	1	2	--	3	4

Table 5o.--November 14, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Erpobdellidae	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--
Pontoporeia affinis	--	--	--	1	--	--	1	10	11	5	6	--	--	1	2
Amnicola sp.	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--
Pisidium spp.	--	2	1	--	--	--	--	1	4	--	--	14	--	2	4
Sphaerium sp.	--	--	--	1	1	1	--	--	--	--	2	145	--	--	3
Chironomus fluviatilis - gr.	1	1	--	--	--	--	1	--	--	--	--	--	--	--	--
Chironomus sp.	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--
Cladotanytarsus sp.	2	--	--	2	2	3	1	--	--	--	--	--	--	--	--
Heterotrissocladius grimshawi	--	--	--	--	1	--	--	--	--	--	--	--	--	--	1
Micropsectra sp.	--	--	--	--	--	--	--	--	--	--	--	2	--	--	--
Monodiamesa tuberculata	--	--	--	--	--	--	--	--	--	1	--	--	1	1	--
Paracladopelma udine	1	6	1	4	4	1	2	--	--	--	--	--	--	--	--
P. winnelli	--	--	1	1	--	--	--	--	--	--	--	--	--	--	--
Polypedilum fallax	--	--	--	--	--	1	--	--	--	--	--	--	--	--	1

Table 6k.--July 11, 1977

Table 5o.--November 14, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
P. scalaeum	--	--	2	2	1	--	1	--	--	--	--	--	--	--	--
Psectrocladius simulans	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Saetheria tylus	1	4	3	1	2	4	5	--	--	--	--	--	--	--	--
CII (Cyclopoid)	--	--	--	1	--	1	--	--	--	--	--	--	--	--	--
CIII (Cyclopoid)	2	--	--	--	3	--	--	--	1	--	--	--	--	--	--
CIV (Cyclopoid)	1	--	--	--	--	--	--	1	1	--	1	--	--	2	1
CV (Cyclopoid)	--	--	--	--	2	--	--	--	--	--	--	--	--	--	--
Cyclops bicuspidatus thomasi ♀	--	--	--	2	--	--	--	--	--	--	--	--	--	--	--
C. vernalis ♀	1	--	--	--	3	1	--	--	--	--	--	1	--	--	--
Paracyclops fimbriatus poppei	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--
CII (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
CV (Harpacticoid)	--	--	--	--	--	--	--	--	--	--	--	--	--	1	1
Bryocamptus nivalis ♀	--	--	--	--	--	--	--	--	--	--	--	--	--	1	--
B. n. ♀ w/eggs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1
B. n. ♂	--	--	--	--	--	--	1	--	3	--	2	--	--	5	14

Table 5o.--November 14, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
B. cf. *vejdovskyi* ♀	--	1	--	2	1	2	2	7	5	--	6	--	2	1	3
B. cf. *v.* ♂	--	--	--	1	1	3	--	3	--	1	2	--	--	--	1
Canthocamptus robertcokeri ♀	--	--	--	--	--	--	--	--	1	--	--	--	--	2	--
C. r. ♀ cyst	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--
C. r. ♂	--	1	--	--	1	2	3	--	1	--	6	--	--	--	--
Parastenocaris sp.	--	1	--	--	1	--	--	--	--	--	--	--	--	1	--
Alona affinis	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Alona spp.	1	--	--	--	1	--	--	--	--	--	--	--	--	--	--
Bosmina longirostris	--	--	1	--	--	2	--	--	--	--	--	--	--	--	--
Ostracoda	--	--	--	--	--	--	--	--	1	--	--	1	--	1	1
Nematoda	348	625	470	409	1,027	1,057	1,004	208	297	197	512	72	47	96	210
Tardigrada	--	2	1	10	--	6	--	--	5	1	2	2	--	5	8
Turbellaria	1	1	--	--	--	--	--	--	--	--	--	4	--	2	--
Dicranophoridae	--	--	1	--	1	--	--	--	--	--	12	--	--	6	3

Table 6m.--September 19-20, 1977

Table 5o.--November 14, 1977 (con.)

GROUP	STATION 4 A	4 B	4 C	4 D	7 A	7 B	7 C	10 A	10 B	10 C	10 D	11 A	11 B	11 C	11 D
Dissotrichia sp.	--	--	--	--	--	--	--	--	--	--	2	--	--	7	3
Other rotifers	--	--	--	--	--	--	1	--	--	--	1	--	--	--	--
Hydracarina	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--